


Product Introduction



山东鸿信新材料有限公司
Shandong Hongxin New Material Co., Ltd



Catalogue

产品目录

• Company profile	01
• Product introduction	02
1. Stainless steel	02
2. Carbon steel	06
3. Steel coating products	10
4. Other steel products	17

Company profile

企业简介

Shandong Hongxin New Material Co., Ltd. is a comprehensive supply chain enterprise integrating production, processing and sales. It mainly deals in stainless steel and carbon steel, including steel plate, steel coil, round steel, seamless pipe, profile, decorative pipe and other products. We have two large slitting equipment production lines, 20000 watts, a 30000 watt laser cutting equipment and 12 CNC sawing machines, which can provide customers with high-quality services quickly and efficiently.

The company adopts modern management concept, adheres to quality for survival and integrity for development, and gradually boarded the global competition platform. Rely on service to enhance feelings, sincerely create value for customers, and provide customers with high-quality and reliable products




Product introduction

产品介绍

1. Stainless steel

· Stainless steel plate


Product Name	stainless steel plate
Type	Cold Drawn or Hot Rolled
Thickness	0.3-260mm
Width	1000, 1219, 1500, 2000, 2500, 3000mm etc.
Length	1000, 1500, 2438, 3000, 5800, 6000, 9000, 12000mm etc.
Standard	ASTM JIS AISI GB DIN EN
Surface Finished	BA, 2B, NO.1, NO.4, 4K, HL, 8K
Certification	ISO, SGS, BV
Edge	Mill Edge /Slit Edge
Quality	SGS Inspection
Grade(ASTM UNS)	201 202 301 304 304L 321 316 316L 317L 347H 309S 310S 904L S32205 2507 254SMOS 32760 253MA N08926 etc.
Grade (EN)	1.4301, 1.4307, 1.4541, 1.4401, 1.4404, 1.4571, 1.4438, 1.4539, 1.4547, 1.4529, 1.4562, 1.4410, 1.4878, 1.4845, 1.4828, 1.4876, 2.4858, 2.4819
Delivery time	Within 7-10 Working Days
Payment Terms	T/T L/C and Western Union etc.





· Stainless steel coil

Product Name	stainless steel coil
Type	Cold Drawn or Hot Rolled
Thickness	0.3-260mm
Width	1000, 1219, 1500, 2000, 2500, 3000mm etc.
Length	1000, 1500, 2438, 3000, 5800, 6000, 9000, 12000mm etc.
Standard	ASTM JIS AISI GB DIN EN
Surface Finished	BA, 2B, NO.1, NO.4, 4K, HL, 8K
Certification	ISO, SGS, BV
Edge	Mill Edge /Slit Edge
Quality	SGS Inspection
Grade(ASTM UNS)	201 202 301 304 304L 321 316 316L 317L 347H 309S 310S 904L S32205 2507 254SMOS 32760 253MA N08926 etc.
Grade (EN)	1.4301, 1.4307, 1.4541, 1.4401, 1.4404, 1.4571, 1.4438, 1.4539, 1.4547, 1.4529, 1.4562, 1.4410, 1.4878, 1.4845, 1.4828, 1.4876, 2.4858, 2.4819
Delivery time	Within 7-10 Working Days
Payment Terms	T/T L/C and Western Union etc.





· Stainless steel pipe

Product Name	Stainless steel pipe
Type	Seamless or Welded
Material (ASTM)	201 202 304 304L 309s 310s 316 316L 316TI 317L 321 904L S32205
Material (DIN)	1.4301 1.4306 1.4541 1.4401 1.4404 1.4571 1.4539 1.4462 1.4410 1.4833 1.4845
Outer Diameter (OD)	3-1220mm
Thickness	0.5-50mm
Length	6000mm 5800mm 12000mm or Customized
Surface Finished	No.1 No.3 No.4 HL 2B BA 4K 8K 1D 2D
End/Edge	Plain Mill
Technique	Cold Drawn or Hot
Standard	ASTM AISI DIN JIS GB EN
Certificate	ISO SGS
Package	Plywood Case/Pallet or Other Export Package Suitable for Long Distance Shipping



Stainless steel bar



Product Name	Stainless Steel bar
Type	Cold Drawn or casting
Diameter	4-600mm (3/8" -25")
Length	3000mm, 5800mm, 6000mm, 9000m, 12000mm etc.
Standard	ASTM JIS AISI GB DIN EN
Surface Finished	BA, 2B,NO.1, NO.4, 4K, HL ,8K
Certification	ISO, SGS,BV
Technique	Cold drawn or casting
Edge	Mill Edge /Slit Edge
Quality	SGS Inspection
Grade(ASTM UNS)	201 202 301 304 304L 321 316 316L 317L 347H 309S 310S 904L S32205 2507 254SMOS 32760 253MA N08926 etc.
Grade (EN)	1.4301, 1.4307, 1.4541, 1.4401, 1.4404, 1.4571, 1.4438, 1.4539, 1.4547, 1.4529, 1.4562, 1.4410, 1.4878, 1.4845, 1.4828, 1.4876, 2.4858, 2.4819
Delivery time	Within 7-10 Working Days
Payment Terms	T/T L/C and Western Union etc.



2. Carbon steel

· Carbon steel plate


Material:	NVA,NVD,A,A32,,A36,AH32,AH36,B, 16MnL,D32,D36,DH32,DH36,EH32,EH36Q 195, Q235, Q235B,Q345, 10-50#, 16Mn,20Mn,35Mn,45Mn,50Mn,20Mn2,35Mn2,45Mn2. 15CrMo,35CrMo,42CrMo,20CrMo,12Cr1MoV, 27SiMn 60Si2Mn,20Cr,40Cr 15GrMoG , 10GrMo910 , 12Gr2MoG , 12Gr1MoVG, 1Gr5Mo,1Gr9Mo ,P11, T11 , T91 , T22 , P22 , P5 , P9 , WB36
Thickness:	0.2-500mm. etc
Width :	1000-4000mm. etc
Length:	2000mm, 2438mm, 3000mm, 3500. 6000mm,12000mm. or rolled,etc etc
Standard:	ASTM. AISI. JIS. GB. DIN. EN
Surface:	Black painted,PE coated,Galvanized,color coated, anti rust varnished,anti rust oiled,checkered,etc
Technique:	Cold Rolled. Hot Rolled
Certification:	ISO, SGS. BV
price terms:	FOB,CRF,CIF,EXW all acceptable
Delivery Detail:	inventory About 5-7; custom-made 25-30
Loading port:	any port in China
Packing:	standard export packing (inside:water proof paper,outside:steel covered with strips and pallets)
Payment Terms:	T/T, L/C at sight,West Union,D/P,D/A,Paypal





· Carbon steel coil

Standard:	AISI, ASTM, BS, DIN, GB, JIS
Material	Q235B, Q195B, A283 GR.A, A283 GR.C, A285 GR.A, GR.B, GR.C, ST52, ST37, ST35, A36, SS400, SS540, S275JR, S355JR, S275J2H, Q345, Q345B, A516 GR.50/GR.60, GR.70, etc
Thickness:	1mm-14mm
Width:	1000mm-2000mm
Length:	Customized
Technique:	Cold rolled or Hot rolled
Usage:	widely used in mechanical manufacture, construction field, farm vehicles, agriculture greenhouse, automotive industry, railway, decoration, steel structure, etc.
Package	Standard export package, suit for all kinds of transport, or as required.
Payment term	T/T, L/C, Western Union, etc



• Carbon steel pipe



Place of Origin:	China
Application:	Structure Pipe
Alloy Or Not:	Non-Alloy
Section Shape:	Roud / Sqaure/ Rectangular
Special Pipe:	Thick Wall Pipe
Thickness:	0.5 - 12 mm
Standard:	ASTM, bs, API, DIN, JIS, GB, ASTM A106-2006, ASTM A53-2007, BS 1387, API 5L, DIN 2444, DIN EN 10025, JIS G3444-2006, GB/T 3094-2000
Technique:	A53(A,B), A106(B,C), 16mn, Q235, Q345, Q195, Q215, 10#, 20#, 45#, St52.4, ST35, A53-A369, 16mn, Q195-Q345, 10#-45#, ST35-ST52
Grade:	Black/ Galvanized/ Oiled
Tolerance:	±3%
Keyword:	Steel pipe
Surface:	Black or oiled or galvanized
Material:	Q195/Q215/Q235/Q345
Ends:	Plain end threaded or beveled
Shape:	Round / Square / Rectangular
Usage:	Building material
Length:	1-12m
Certification:	Standard Export Package by bundles or customized ISO SGS CE

• Carbon steel bar


Material:	NVA,NVD,A,A32,,A36,AH32,AH36,B, 16MnL,D32,D36,DH32,DH36,EH32,EH36Q195, Q235, Q235B,Q345, 10-50#, 16Mn,20Mn,35Mn,45Mn,50Mn,20Mn2,35Mn2,45Mn2. 15CrMo,35CrMo,42CrMo,20CrMo, 12Cr1MoV,27SiMn,60Si2Mn,20Cr,40Cr 15GrMoG , 10GrMo910 , 12Gr2MoG , 12Gr1MoVG, 1Gr5Mo,1Gr9Mo , P11, T11 , T91 , T22 , P22 , P5 , P9 , WB36
Length:	2000mm, 2438mm, 3000mm, 3500, 6000mm,12000mm. or rolled,etc etc
Standard:	ASTM, AISI, JIS, GB, DIN, EN
Surface:	Black painted,PE coated,Galvanized,color coated, anti rust varnished,anti rust oiled,checkered,etc
Technique:	Cold Rolled. Hot Rolled
Certification:	ISO, SGS, BV
price terms:	FOB,CRF,CIF,EXW all acceptable
Delivery Detail:	inventory About 5-7; custom-made 25-30
Loading port:	any port in China
Packing:	standard export packing (inside:water proof paper,outside:steel covered with strips and pallets)
Payment Terms:	T/T, L/C at sight,West Union,D/P,D/A,Paypal



3. Steel coating products

· Galvanized sheet

Product Name	Galvanized sheet
Material	SGCC,DX51D+Z/DC51D+Z,DX52D+Z/DC52D+Z,S220GD-S550GD+Z
Thickness	0.12mm~100mm(common 0.2mm-0.5mm)
Width	100mm~2000mm
length	customer required (1-12m)
Zinc Coating	30g-275g/m2
Tolerance	Thickness:±0.03mm, Width: ±50mm, Length: ±50mm
Surface	Regular spangle,minimal spangle,zero spangle ,bright and big spangle
Technique	Cold Rolled
MOQ	3-5 Ton
Payment terms	T/T,L/C,Western Union,etc
Price term	Ex-work,FOB,FCA,CIF,CFR,DDU,etc
Package	Export standard package, suit for all kinds of transport, or as required
Delivery time	Within 15 days after pay the deposit
Application	Widely used in making pipes, cutting sheets, making small tools and so on





· Galvanized coil

Product Name	Galvanized sheet
Material	SGCC,DX51D+Z/DC51D+Z,DX52D+Z/DC52D+Z,S220GD-S550GD+Z
Thickness	0.12mm~100mm(common 0.2mm-0.5mm)
Width	100mm~2000mm
length	customer required (1-12m)
Zinc Coating	30g-275g/m ²
Tolerance	Thickness:±0.03mm, Width: ±50mm, Length: ±50mm
Surface	Regular spangle,minimal spangle,zero spangle ,bright and big spangle
Technique	Cold Rolled
MOQ	3-5 Ton
Payment terms	T/T,L/C,Western Union,etc
Price term	Ex-work,FOB,FCA,CIF,CFR,DDU,etc
Package	Export standard package, suit for all kinds of transport, or as required
Delivery time	Within 15 days after pay the deposit
Application	Widely used in making pipes, cutting sheets, making small tools and so on

Grade	C	Mn	P	S	Alta
DC01,SPCC	≤0.12	≤0.60	≤0.045	≤0.045	≥0.020
DC02,SPCD	≤0.10	≤0.45	≤0.035	≤0.035	≥0.020
DC03,SPCE	≤0.08	≤0.40	≤0.030	≤0.030	≥0.020
DC04,SPCF	≤0.06	≤0.35	≤0.025	≤0.025	≥0.015



· Galvanized steel pipe



Grade	Q195/Q215/Q235/Q345/S235JR/GR.B-D/STK500
Thread	according to the buyer's request
Used	building industry machinery/Construction of greenhouses.....
Thickness	1-200mm; or as required
Dimensions	16-1020mm; (1/2inch~40inch)Dimensions
Zinc Coating	pre galvanized steel pipe: 60-150g/m2
	hot dipped galvanized steel pipe:200-460g/m2
Delivery Detail	Standard has Stock; Normal About 3-5days; Custom-made 15-20days; According to order's quantity.
Packing	standard export packing (inside:water proof paper,outside:fumigated wooden box)
	Hexagon Shape Bundle, Covered With Tarpaulin, Containers Or In Bulk
Certification:	CE, ISO, SGS, BV, Mill Certificate
price terms	FOB,CRF,CIF,EXW, CPT
Length:	2000-16000mm. or as required
Technique	Hot Rolled Or Cold Rolle
Surface treatment	Cold galvanizing, Hot dip galvanized
Standard:	ASTM, JIS, GB, DIN, EN
Payment Terms	T/T, L/C at sight,West Union



· PPGI & PPGL Steel Coil

AVAILABLE SPECIFICATION

Name	Pre-painted Galvanized Steel Coil	Pre-painted Aluzinc Steel Coil
Width	600-1500mm	600-1500mm
Thickness	0.13-2.0mm(BMT)	0.13-2.0mm(BMT)
Coating	20-275g/m ²	20-275g/m ²
Paint	Standard Polyester(PE),SMP,HDP,PVDF	Polyester(PE),SMP,HDP,PVDF
Color	RAL Scale*	RAL Scale*
Coil ID	508mm/ 610mm	508mm/ 610mm
Coil Weight	3-8MT	3-8MT
Base Material	Hot-dip Galvanized Steel Cold/Hot Rolled Steel	Hot-dip Aluzinc Steel Cold/Hot Rolled Steel
Certificate	ISO9001:2008,ISO14001,SGS	ISO9001:2008,ISO14001,SGS


PPGI & PPGL is pre-painted galvanized steel, also known as pre-coated steel, color coated steel etc.

Using Hot Dip Galvanized Steel Coil as the substrate, PPGI is made by first going through surface pretreatment, then the coating of one or more layers of liquid coating by roll coating, and finally

STANDARD&GRADE

NAME	ASTM A755M-03	EN10169: 2006	JIS G 3312-2012
COMMERCIAL QUALITY	CS	DX51D+Z	CGCC
STRUCTURE STEEL	SS GRADE 230	S220GD+Z	CGC340
	SS GRADE 255	S250GD+Z	CGC440
	SS GRADE 275	S280GD+Z	CGC490
	SS GRADE 340	S320GD+Z	CGC570
	SS GRADE 550	S350GD+Z	
		S550GD+Z	






Paint property

Category	180°T Bend	Impact (J)	Salt Resistance (h)	MEK Scrub Resistance	Pencil Hardness	60°Specular Glossiness of	Chromatism(ΔE)
PE	≤3T	≥9	≥500	≥100	≥F	10-85	≤0.8
SMP	≤3T	≥9	≥500	≥100	≥F	10-85	≤0.8
HDP	≤2T	≥9	≥1000	≥100	≥HB	10-85	≤0.8
PVDF	≤2T	≥9	≥1000	≥100	≥HB	10-85	≤0.8


Standard Color



Cream 301



Sand White 811



Show White 801




Light Green 400



Brick Red 100



Light China Yellow 342



Lotus White 8A1



Coal Grey 933



Moss Green 414



Sea Blue 524



Cadmium Red 114



Reed Yellow 326

Note: Actual paint color may vary slightly from depictions above.





• PPGL Corrugated Sheet

PRODUCT DESCRIPTION

Product	SGCC steel sheet Corrugated Galvanized roofing sheet
Standard	AISI, ASTM, BS, DIN, GB, JIS
Material	SGCC, DX51D, DX53D, DX54D, SPHC, Q195 etc
Thickness	0.2-3.0mm
Width	600mm-1500 mm (regular width 1000mm, 1250mm, 1500mm)
Zinc Coating	30-500g/m ²
Elongation	15%-45%
Tensile strength	200-550 n/mm ²
Tolerance	±5%
Technology	Cold rolled, electro galvanized, hot-dipped Galvanized, color painted
Processing Service	Bending, welding, decoiling, cutting, punching

PPGL corrugated steel is a kind of steel plate with organic coating, which has the advantages of good corrosion resistance, bright color, beautiful appearance, convenient processing and forming, and the original strength of the steel plate.


SHAPE TYPE





Basal plate	1. Hot dip galvanizing 2. hot dip aluminium-Zinc (55%aluminium,43zinc,2%si)
Application	1.Industrial and civil buildings. 2.warehouses and special construction. 3. large span steel structure of the roof, walls and interior and exterior decoration
Standard and Material	Japan standard - JISG3302 (SGCC) Chinese standard - GB2518 (SGCC) Europe standard - DIN10142(DX51D+Z)
surface treatment	Chromated ,full hard or soft quality ,regular spangle,unoiled
Production process	Cold rolled steel coil-uncoil-Pickling-Annealed-hot dipped galvanizing-cooling - surface treatment
Packing	Waterproof paper,galvanized steel covered and steel strip packed with iron pallet
Lead time	20-30days after receive deposit
Payment	30% TT for deposit and the balance against the copy of B/L within 7days
Stamp/Logo	Demand customer's requirement . It is free to put stamp on sheet.
Exported Country and port	South africa (durban), Tansania (Dar-dar-salam), Burkina faso (Tema), Ivory coast (Abldjan), Congo (Matadi) , philippines(Manila) ,UAE (Dubai), Keniya(Mombasa) and so on.

PPGL PLATE STRUCTURE




PRODUCT APPLICATION



4. Other steel products

· Stainless steel profile



Stainless steel angle

Thickness: 3-50mm or Customized

Length: 6000mm 5800mm 12000mm or Customized

Technique: Cold Drawing or Hot Rolled or Casting


Stainless steel square tube

Type: Seamless/Welded

Length: 6m or Customized

Thickness: 1-6mm or Customized

Section Shape: Rectangle Square



Stainless steel flat bar

Length: 6m or Customized

Width: 2-500mm or Customized

Thickness: 1.5-30mm or Customized

Technique: Hot Rolled, Cold Rolled

Stainless steel H-beam

Thickness: 0.8- 25mm

Flange Width: 100-1000mm

Flange Thickness: 4.5-70mm

Web Width: 96-1056mm

Web Thickness: 3.2-45mm



• Carbon steel profile



Carbon steel angle

Shape: Equal Unequal

Length: 3-12M Customer's Request

Thickness: 3-24mm, or according to your request

Technique: Cold Drawing or Hot Rolled or Casting

Carbon steel square tube

Type: Seamless/Welded

Length: 6m or Customized

Thickness: 0.5 - 30 mm or Customized

Section Shape: Rectangle Square



Carbon steel flat bar

Technique: Hot Rolled, Cold Rolled

Length: 6m, 9m, 12m or Customized

Thickness: 1.5-30mm or Customized

Width: 10mm-870mm, 10mm-1010mm, Customized

Carbon steel H-beam


Thickness: 5- 34mm

Flange Width: 50-400mm

Flange Thickness: 8-64mm

Web Width: 100-900mm

Web Thickness: 5-16mm



All products support customization

Tel: +86 15949797289

Email: xwh@sd-hongxin.com

Web: <https://hongxin-ss.com/>

Add: building 2, Zhongjian Jinxiu Plaza, Huaiyin District, Jinan, Shandong



山东鸿信新材料有限公司
Shandong Hongxin New Material Co., Ltd

Please feel free to contact me,welcome to your inquiry.