




**T5-21** Pitch = 5mm For belt width 10mm

| Part No. | Type | Z  | De    | Df | Dm | F  | L  | d |
|----------|------|----|-------|----|----|----|----|---|
| 10 T5-21 | 2F   | 10 | 15.05 | 20 | 8  | 15 | 21 | — |
| 12 T5-21 | 2F   | 12 | 18.25 | 23 | 10 | 15 | 21 | — |
| 14 T5-21 | 2F   | 14 | 21.45 | 25 | 13 | 15 | 21 | — |
| 15 T5-21 | 2F   | 15 | 23.05 | 28 | 16 | 15 | 21 | — |
| 16 T5-21 | 2F   | 16 | 24.60 | 32 | 18 | 15 | 21 | — |
| 18 T5-21 | 2F   | 18 | 27.80 | 32 | 20 | 15 | 21 | — |
| 19 T5-21 | 2F   | 19 | 29.40 | 36 | 22 | 15 | 21 | — |
| 20 T5-21 | 2F   | 20 | 31.00 | 36 | 23 | 15 | 21 | — |
| 22 T5-21 | 2F   | 22 | 34.25 | 38 | 24 | 15 | 21 | — |
| 24 T5-21 | 2F   | 24 | 37.40 | 42 | 26 | 15 | 21 | — |
| 25 T5-21 | 2F   | 25 | 38.95 | 44 | 26 | 15 | 21 | — |
| 26 T5-21 | 2F   | 26 | 40.60 | 44 | 26 | 15 | 21 | — |
| 27 T5-21 | 2F   | 27 | 42.20 | 48 | 30 | 15 | 21 | 8 |
| 28 T5-21 | 2F   | 28 | 43.75 | 48 | 32 | 15 | 21 | 8 |
| 30 T5-21 | 2F   | 30 | 46.95 | 51 | 34 | 15 | 21 | 8 |
| 32 T5-21 | 2F   | 32 | 50.10 | 54 | 38 | 15 | 21 | 8 |
| 36 T5-21 | 2F   | 36 | 56.45 | 63 | 38 | 15 | 21 | 8 |
| 40 T5-21 | 2F   | 40 | 62.85 | 66 | 40 | 15 | 21 | 8 |
| 42 T5-21 | 2F   | 42 | 66.00 | 71 | 40 | 15 | 21 | 8 |
| 44 T5-21 | 2    | 44 | 69.20 | —  | 45 | 15 | 21 | 8 |
| 48 T5-21 | 2    | 48 | 75.55 | —  | 50 | 15 | 21 | 8 |
| 60 T5-21 | 2    | 60 | 94.65 | —  | 65 | 15 | 21 | 8 |

**T2.5-16** Pitch = 2.5mm For belt width 6mm

| Part No.   | Type | Z  | De    | Df   | Dm | F  | L  | d |
|------------|------|----|-------|------|----|----|----|---|
| 18 T2.5-16 | 2F   | 18 | 13.80 | 18   | 10 | 10 | 16 | 3 |
| 19 T2.5-16 | 2F   | 19 | 14.60 | 18   | 10 | 10 | 16 | 3 |
| 20 T2.5-16 | 2F   | 20 | 15.40 | 19.5 | 11 | 10 | 16 | 3 |
| 22 T2.5-16 | 2F   | 22 | 17.00 | 23   | 11 | 10 | 16 | 3 |
| 24 T2.5-16 | 2F   | 24 | 18.55 | 23   | 12 | 10 | 16 | 3 |
| 25 T2.5-16 | 2F   | 25 | 19.35 | 23   | 13 | 10 | 16 | 3 |
| 26 T2.5-16 | 2F   | 26 | 20.15 | 25   | 14 | 10 | 16 | 3 |
| 28 T2.5-16 | 2F   | 28 | 21.75 | 25   | 14 | 10 | 16 | 3 |
| 30 T2.5-16 | 2F   | 30 | 23.35 | 28   | 16 | 10 | 16 | 3 |
| 32 T2.5-16 | 2F   | 32 | 24.95 | 32   | 16 | 10 | 16 | 3 |
| 36 T2.5-16 | 2F   | 36 | 28.10 | 36   | 20 | 10 | 16 | 3 |
| 40 T2.5-16 | 2F   | 40 | 31.30 | 38   | 22 | 10 | 16 | 3 |
| 44 T2.5-16 | 2    | 44 | 34.50 | —    | 24 | 10 | 16 | 3 |
| 48 T2.5-16 | 2    | 48 | 37.70 | —    | 26 | 10 | 16 | 3 |
| 60 T2.5-16 | 2    | 60 | 47.25 | —    | 34 | 10 | 16 | 3 |

**T5-27** Pitch = 5mm For belt width 16mm

| Part No. | Type | Z  | De    | Df   | Dm | F  | L  | d |
|----------|------|----|-------|------|----|----|----|---|
| 10 T5-27 | 2F   | 10 | 15.05 | 19.5 | 8  | 21 | 27 | — |
| 12 T5-27 | 2F   | 12 | 18.25 | 23   | 10 | 21 | 27 | — |
| 14 T5-27 | 2F   | 14 | 21.45 | 25   | 13 | 21 | 27 | — |
| 15 T5-27 | 2F   | 15 | 23.05 | 28   | 16 | 21 | 27 | — |
| 16 T5-27 | 2F   | 16 | 24.60 | 32   | 18 | 21 | 27 | — |
| 18 T5-27 | 2F   | 18 | 27.80 | 32   | 20 | 21 | 27 | — |
| 19 T5-27 | 2F   | 19 | 29.40 | 36   | 22 | 21 | 27 | — |
| 20 T5-27 | 2F   | 20 | 31.00 | 36   | 23 | 21 | 27 | — |
| 22 T5-27 | 2F   | 22 | 34.25 | 38   | 24 | 21 | 27 | — |
| 24 T5-27 | 2F   | 24 | 37.40 | 42   | 26 | 21 | 27 | — |
| 25 T5-27 | 2F   | 25 | 38.95 | 44   | 26 | 21 | 27 | — |
| 26 T5-27 | 2F   | 26 | 40.60 | 44   | 26 | 21 | 27 | — |
| 27 T5-27 | 2F   | 27 | 42.20 | 48   | 30 | 21 | 27 | 8 |
| 28 T5-27 | 2F   | 28 | 43.75 | 48   | 32 | 21 | 27 | 8 |
| 30 T5-27 | 2F   | 30 | 46.95 | 51   | 34 | 21 | 27 | 8 |
| 32 T5-27 | 2F   | 32 | 50.10 | 54   | 38 | 21 | 27 | 8 |
| 36 T5-27 | 2F   | 36 | 56.45 | 63   | 38 | 21 | 27 | 8 |
| 40 T5-27 | 2F   | 40 | 62.85 | 66   | 40 | 21 | 27 | 8 |
| 42 T5-27 | 2F   | 42 | 66.00 | 71   | 40 | 21 | 27 | 8 |
| 44 T5-27 | 2    | 44 | 69.20 | —    | 45 | 21 | 27 | 8 |
| 48 T5-27 | 2    | 48 | 75.55 | —    | 50 | 21 | 27 | 8 |
| 60 T5-27 | 2    | 60 | 94.65 | —    | 65 | 21 | 27 | 8 |

**T5-36** Pitch = 5mm For belt width 25mm

| Part No. | Type | Z  | De    | Df | Dm | F  | L  | d |
|----------|------|----|-------|----|----|----|----|---|
| 10 T5-36 | 2F   | 10 | 15.05 | 20 | 8  | 30 | 36 | — |
| 12 T5-36 | 2F   | 12 | 18.25 | 23 | 10 | 30 | 36 | — |
| 14 T5-36 | 2F   | 14 | 21.45 | 25 | 13 | 30 | 36 | — |
| 15 T5-36 | 2F   | 15 | 23.05 | 28 | 16 | 30 | 36 | — |
| 16 T5-36 | 2F   | 16 | 24.60 | 32 | 18 | 30 | 36 | — |
| 18 T5-36 | 2F   | 18 | 27.80 | 32 | 20 | 30 | 36 | — |
| 19 T5-36 | 2F   | 19 | 29.40 | 36 | 22 | 30 | 36 | — |
| 20 T5-36 | 2F   | 20 | 31.00 | 36 | 23 | 30 | 36 | — |
| 22 T5-36 | 2F   | 22 | 34.25 | 38 | 24 | 30 | 36 | — |
| 24 T5-36 | 2F   | 24 | 37.40 | 42 | 26 | 30 | 36 | — |
| 25 T5-36 | 2F   | 25 | 38.95 | 44 | 26 | 30 | 36 | — |
| 26 T5-36 | 2F   | 26 | 40.60 | 44 | 26 | 30 | 36 | — |
| 27 T5-36 | 2F   | 27 | 42.20 | 48 | 30 | 30 | 36 | 8 |
| 28 T5-36 | 2F   | 28 | 43.75 | 48 | 32 | 30 | 36 | 8 |
| 30 T5-36 | 2F   | 30 | 46.95 | 51 | 34 | 30 | 36 | 8 |
| 32 T5-36 | 2F   | 32 | 50.10 | 54 | 38 | 30 | 36 | 8 |
| 36 T5-36 | 2F   | 36 | 56.45 | 63 | 38 | 30 | 36 | 8 |
| 40 T5-36 | 2F   | 40 | 62.85 | 66 | 40 | 30 | 36 | 8 |
| 42 T5-36 | 2F   | 42 | 66.00 | 71 | 40 | 30 | 36 | 8 |
| 44 T5-36 | 2    | 44 | 69.20 | —  | 45 | 30 | 36 | 8 |
| 48 T5-36 | 2    | 48 | 75.55 | —  | 50 | 30 | 36 | 8 |
| 60 T5-36 | 2    | 60 | 94.65 | —  | 65 | 30 | 36 | 8 |

## T10-31 Pitch = 10mm For belt width 16mm

| Part No.  | Type | Z  | De     | Df  | Dm  | F  | L  | d  |
|-----------|------|----|--------|-----|-----|----|----|----|
| 12 T10-31 | 2F   | 12 | 36.35  | 42  | 28  | 21 | 31 | 6  |
| 14 T10-31 | 2F   | 14 | 42.70  | 48  | 32  | 21 | 31 | 8  |
| 15 T10-31 | 2F   | 15 | 45.90  | 51  | 32  | 21 | 31 | 8  |
| 16 T10-31 | 2F   | 16 | 49.10  | 54  | 35  | 21 | 31 | 8  |
| 18 T10-31 | 2F   | 18 | 55.45  | 60  | 40  | 21 | 31 | 8  |
| 19 T10-31 | 2F   | 19 | 58.65  | 66  | 44  | 21 | 31 | 8  |
| 20 T10-31 | 2F   | 20 | 61.80  | 66  | 46  | 21 | 31 | 8  |
| 22 T10-31 | 2F   | 22 | 68.20  | 75  | 52  | 21 | 31 | 8  |
| 24 T10-31 | 2F   | 24 | 74.55  | 83  | 58  | 21 | 31 | 8  |
| 25 T10-31 | 2F   | 25 | 77.75  | 83  | 60  | 21 | 31 | 8  |
| 26 T10-31 | 2F   | 26 | 80.90  | 87  | 60  | 21 | 31 | 8  |
| 27 T10-31 | 2F   | 27 | 84.10  | 91  | 60  | 21 | 31 | 8  |
| 28 T10-31 | 2F   | 28 | 87.25  | 93  | 60  | 21 | 31 | 8  |
| 30 T10-31 | 2F   | 30 | 93.65  | 97  | 60  | 21 | 31 | 8  |
| 32 T10-31 | 2F   | 32 | 100.00 | 106 | 65  | 21 | 31 | 10 |
| 36 T10-31 | 2F   | 36 | 112.75 | 119 | 70  | 21 | 31 | 10 |
| 40 T10-31 | 2F   | 40 | 125.45 | 131 | 80  | 21 | 31 | 10 |
| 44 T10-31 | 2    | 44 | 138.20 | —   | 88  | 21 | 31 | 10 |
| 48 T10-31 | 2    | 48 | 150.95 | —   | 95  | 21 | 31 | 16 |
| 60 T10-31 | 2    | 60 | 189.15 | —   | 110 | 21 | 31 | 16 |

## T10-40 Pitch = 10mm For belt width 25mm

| Part No.  | Type | Z  | De     | Df  | Dm  | F  | L  | d  |
|-----------|------|----|--------|-----|-----|----|----|----|
| 12 T10-40 | 2F   | 12 | 36.35  | 42  | 28  | 30 | 40 | 6  |
| 14 T10-40 | 2F   | 14 | 42.70  | 48  | 32  | 30 | 40 | 8  |
| 15 T10-40 | 2F   | 15 | 45.90  | 51  | 32  | 30 | 40 | 8  |
| 16 T10-40 | 2F   | 16 | 49.10  | 54  | 35  | 30 | 40 | 8  |
| 18 T10-40 | 2F   | 18 | 55.45  | 60  | 40  | 30 | 40 | 8  |
| 19 T10-40 | 2F   | 19 | 58.65  | 66  | 44  | 30 | 40 | 8  |
| 20 T10-40 | 2F   | 20 | 61.80  | 66  | 46  | 30 | 40 | 8  |
| 22 T10-40 | 2F   | 22 | 68.20  | 75  | 52  | 30 | 40 | 8  |
| 24 T10-40 | 2F   | 24 | 74.55  | 83  | 58  | 30 | 40 | 8  |
| 25 T10-40 | 2F   | 25 | 77.75  | 83  | 60  | 30 | 40 | 8  |
| 26 T10-40 | 2F   | 26 | 80.90  | 87  | 60  | 30 | 40 | 8  |
| 27 T10-40 | 2F   | 27 | 84.10  | 91  | 60  | 30 | 40 | 8  |
| 28 T10-40 | 2F   | 28 | 87.25  | 93  | 60  | 30 | 40 | 8  |
| 30 T10-40 | 2F   | 30 | 93.65  | 97  | 60  | 30 | 40 | 8  |
| 32 T10-40 | 2F   | 32 | 100.00 | 106 | 65  | 30 | 40 | 10 |
| 36 T10-40 | 2F   | 36 | 112.75 | 119 | 70  | 30 | 40 | 10 |
| 40 T10-40 | 2F   | 40 | 125.45 | 131 | 80  | 30 | 40 | 10 |
| 44 T10-40 | 2    | 44 | 138.20 | —   | 88  | 30 | 40 | 10 |
| 48 T10-40 | 2    | 48 | 150.95 | —   | 95  | 30 | 40 | 16 |
| 60 T10-40 | 2    | 60 | 189.15 | —   | 110 | 30 | 40 | 16 |

## T10-47 Pitch = 10mm For belt width 32mm

| Part No.  | Type | Z  | De     | Df  | Dm  | F  | L  | d  |
|-----------|------|----|--------|-----|-----|----|----|----|
| 18 T10-47 | 2F   | 18 | 55.45  | 60  | 40  | 37 | 47 | 10 |
| 19 T10-47 | 2F   | 19 | 58.65  | 66  | 44  | 37 | 47 | 10 |
| 20 T10-47 | 2F   | 20 | 61.80  | 66  | 46  | 37 | 47 | 12 |
| 22 T10-47 | 2F   | 22 | 68.20  | 75  | 52  | 37 | 47 | 12 |
| 24 T10-47 | 2F   | 24 | 74.55  | 83  | 58  | 37 | 47 | 12 |
| 25 T10-47 | 2F   | 25 | 77.75  | 83  | 60  | 37 | 47 | 12 |
| 26 T10-47 | 2F   | 26 | 80.90  | 87  | 60  | 37 | 47 | 12 |
| 27 T10-47 | 2F   | 27 | 84.10  | 91  | 60  | 37 | 47 | 12 |
| 28 T10-47 | 2F   | 28 | 87.25  | 93  | 60  | 37 | 47 | 12 |
| 30 T10-47 | 2F   | 30 | 93.65  | 97  | 60  | 37 | 47 | 12 |
| 32 T10-47 | 2F   | 32 | 100.00 | 106 | 65  | 37 | 47 | 12 |
| 36 T10-47 | 2F   | 36 | 112.75 | 119 | 70  | 37 | 47 | 16 |
| 40 T10-47 | 2F   | 40 | 125.45 | 131 | 80  | 37 | 47 | 16 |
| 44 T10-47 | 2    | 44 | 138.20 | —   | 88  | 37 | 47 | 16 |
| 48 T10-47 | 2    | 48 | 150.95 | —   | 95  | 37 | 47 | 16 |
| 60 T10-47 | 2    | 60 | 189.15 | —   | 110 | 37 | 47 | 16 |

## T10-66 Pitch = 10mm For belt width 50mm

| Part No.  | Type | Z  | De     | Df  | Dm  | F  | L  | d  |
|-----------|------|----|--------|-----|-----|----|----|----|
| 18 T10-66 | 2F   | 18 | 55.45  | 60  | 40  | 56 | 66 | 10 |
| 19 T10-66 | 2F   | 19 | 58.65  | 66  | 44  | 56 | 66 | 10 |
| 20 T10-66 | 2F   | 20 | 61.80  | 66  | 46  | 56 | 66 | 12 |
| 22 T10-66 | 2F   | 22 | 68.20  | 75  | 52  | 56 | 66 | 12 |
| 24 T10-66 | 2F   | 24 | 74.55  | 83  | 58  | 56 | 66 | 12 |
| 25 T10-66 | 2F   | 25 | 77.75  | 83  | 60  | 56 | 66 | 12 |
| 26 T10-66 | 2F   | 26 | 80.90  | 87  | 60  | 56 | 66 | 12 |
| 27 T10-66 | 2F   | 27 | 84.10  | 91  | 60  | 56 | 66 | 12 |
| 28 T10-66 | 2F   | 28 | 87.25  | 93  | 60  | 56 | 66 | 12 |
| 30 T10-66 | 2F   | 30 | 93.65  | 97  | 60  | 56 | 66 | 12 |
| 32 T10-66 | 2F   | 32 | 100.00 | 106 | 65  | 56 | 66 | 12 |
| 36 T10-66 | 2F   | 36 | 112.75 | 119 | 70  | 56 | 66 | 16 |
| 40 T10-66 | 2F   | 40 | 125.45 | 131 | 80  | 56 | 66 | 16 |
| 44 T10-66 | 2    | 44 | 138.20 | —   | 88  | 56 | 66 | 16 |
| 48 T10-66 | 2    | 48 | 150.95 | —   | 95  | 56 | 66 | 16 |
| 60 T10-66 | 2    | 60 | 189.15 | —   | 110 | 56 | 66 | 16 |

## AT5-21 Pitch = 5mm For belt width 10mm

| Part No.  | Type | Z  | De    | Df | Dm | F  | L  | d |
|-----------|------|----|-------|----|----|----|----|---|
| 12 AT5-21 | 2F   | 12 | 17.85 | 23 | 10 | 15 | 21 | — |
| 14 AT5-21 | 2F   | 14 | 21.05 | 25 | 13 | 15 | 21 | — |
| 15 AT5-21 | 2F   | 15 | 22.65 | 28 | 16 | 15 | 21 | — |
| 16 AT5-21 | 2F   | 16 | 24.20 | 32 | 18 | 15 | 21 | — |
| 18 AT5-21 | 2F   | 18 | 27.40 | 32 | 20 | 15 | 21 | — |
| 19 AT5-21 | 2F   | 19 | 29.00 | 36 | 22 | 15 | 21 | — |
| 20 AT5-21 | 2F   | 20 | 30.60 | 36 | 23 | 15 | 21 | — |
| 22 AT5-21 | 2F   | 22 | 33.85 | 38 | 24 | 15 | 21 | — |
| 24 AT5-21 | 2F   | 24 | 37.00 | 42 | 26 | 15 | 21 | — |
| 25 AT5-21 | 2F   | 25 | 38.55 | 44 | 26 | 15 | 21 | — |
| 26 AT5-21 | 2F   | 26 | 40.20 | 44 | 26 | 15 | 21 | — |
| 27 AT5-21 | 2F   | 27 | 41.80 | 48 | 30 | 15 | 21 | 8 |
| 28 AT5-21 | 2F   | 28 | 43.35 | 48 | 32 | 15 | 21 | 8 |
| 30 AT5-21 | 2F   | 30 | 46.55 | 51 | 34 | 15 | 21 | 8 |
| 32 AT5-21 | 2F   | 32 | 49.70 | 54 | 38 | 15 | 21 | 8 |
| 36 AT5-21 | 2F   | 36 | 56.05 | 63 | 38 | 15 | 21 | 8 |
| 40 AT5-21 | 2F   | 40 | 62.45 | 66 | 40 | 15 | 21 | 8 |
| 42 AT5-21 | 2F   | 42 | 65.60 | 71 | 40 | 15 | 21 | 8 |
| 44 AT5-21 | 2    | 44 | 68.80 | —  | 45 | 15 | 21 | 8 |
| 48 AT5-21 | 2    | 48 | 75.15 | —  | 50 | 15 | 21 | 8 |
| 60 AT5-21 | 2    | 60 | 94.25 | —  | 65 | 15 | 21 | 8 |

## AT5-27 Pitch = 5mm For belt width 16mm

| Part No.  | Type | Z  | De    | Df | Dm | F  | L  | d |
|-----------|------|----|-------|----|----|----|----|---|
| 12 AT5-27 | 2F   | 12 | 17.85 | 23 | 10 | 21 | 27 | — |
| 14 AT5-27 | 2F   | 14 | 21.05 | 25 | 13 | 21 | 27 | — |
| 15 AT5-27 | 2F   | 15 | 22.65 | 28 | 16 | 21 | 27 | — |
| 16 AT5-27 | 2F   | 16 | 24.20 | 32 | 18 | 21 | 27 | — |
| 18 AT5-27 | 2F   | 18 | 27.40 | 32 | 20 | 21 | 27 | — |
| 19 AT5-27 | 2F   | 19 | 29.00 | 36 | 22 | 21 | 27 | — |
| 20 AT5-27 | 2F   | 20 | 30.60 | 36 | 23 | 21 | 27 | — |
| 22 AT5-27 | 2F   | 22 | 33.85 | 38 | 24 | 21 | 27 | — |
| 24 AT5-27 | 2F   | 24 | 37.00 | 42 | 26 | 21 | 27 | — |
| 25 AT5-27 | 2F   | 25 | 38.55 | 44 | 26 | 21 | 27 | — |
| 26 AT5-27 | 2F   | 26 | 40.20 | 44 | 26 | 21 | 27 | 8 |
| 27 AT5-27 | 2F   | 27 | 41.80 | 48 | 30 | 21 | 27 | 8 |
| 28 AT5-27 | 2F   | 28 | 43.35 | 48 | 32 | 21 | 27 | 8 |
| 30 AT5-27 | 2F   | 30 | 46.55 | 51 | 34 | 21 | 27 | 8 |
| 32 AT5-27 | 2F   | 32 | 49.70 | 54 | 38 | 21 | 27 | 8 |
| 36 AT5-27 | 2F   | 36 | 56.05 | 63 | 38 | 21 | 27 | 8 |
| 40 AT5-27 | 2F   | 40 | 62.45 | 66 | 40 | 21 | 27 | 8 |
| 42 AT5-27 | 2F   | 42 | 65.60 | 71 | 40 | 21 | 27 | 8 |
| 44 AT5-27 | 2    | 44 | 68.80 | —  | 45 | 21 | 27 | 8 |
| 48 AT5-27 | 2    | 48 | 75.15 | —  | 50 | 21 | 27 | 8 |
| 60 AT5-27 | 2    | 60 | 94.25 | —  | 65 | 21 | 27 | 8 |

## AT5-36

Pitch = 5mm For belt width 25mm

| Part No.  | Type | Z  | De    | Df | Dm | F  | L  | d |
|-----------|------|----|-------|----|----|----|----|---|
| 12 AT5-36 | 2F   | 12 | 17.85 | 23 | 10 | 30 | 36 | — |
| 14 AT5-36 | 2F   | 14 | 21.05 | 25 | 13 | 30 | 36 | — |
| 15 AT5-36 | 2F   | 15 | 22.65 | 28 | 16 | 30 | 36 | — |
| 16 AT5-36 | 2F   | 16 | 24.20 | 32 | 18 | 30 | 36 | — |
| 18 AT5-36 | 2F   | 18 | 27.40 | 32 | 20 | 30 | 36 | — |
| 19 AT5-36 | 2F   | 19 | 29.00 | 36 | 22 | 30 | 36 | — |
| 20 AT5-36 | 2F   | 20 | 30.60 | 36 | 23 | 30 | 36 | — |
| 22 AT5-36 | 2F   | 22 | 33.85 | 38 | 24 | 30 | 36 | — |
| 24 AT5-36 | 2F   | 24 | 37.00 | 42 | 26 | 30 | 36 | 8 |
| 25 AT5-36 | 2F   | 25 | 38.55 | 44 | 26 | 30 | 36 | 8 |
| 26 AT5-36 | 2F   | 26 | 40.20 | 44 | 26 | 30 | 36 | 8 |
| 27 AT5-36 | 2F   | 27 | 41.80 | 48 | 30 | 30 | 36 | 8 |
| 28 AT5-36 | 2F   | 28 | 43.35 | 48 | 32 | 30 | 36 | 8 |
| 30 AT5-36 | 2F   | 30 | 46.55 | 51 | 34 | 30 | 36 | 8 |
| 32 AT5-36 | 2F   | 32 | 49.70 | 54 | 38 | 30 | 36 | 8 |
| 36 AT5-36 | 2F   | 36 | 56.05 | 63 | 38 | 30 | 36 | 8 |
| 40 AT5-36 | 2F   | 40 | 62.45 | 66 | 40 | 30 | 36 | 8 |
| 42 AT5-36 | 2F   | 42 | 65.60 | 71 | 40 | 30 | 36 | 8 |
| 44 AT5-36 | 2    | 44 | 68.80 | —  | 45 | 30 | 36 | 8 |
| 48 AT5-36 | 2    | 48 | 75.15 | —  | 50 | 30 | 36 | 8 |
| 60 AT5-36 | 2    | 60 | 94.25 | —  | 65 | 30 | 36 | 8 |

## AT10-31

Pitch = 10mm For belt width 16mm

| Part No.   | Type | Z  | De     | Df  | Dm  | F  | L  | d  |
|------------|------|----|--------|-----|-----|----|----|----|
| 15 AT10-31 | 2F   | 15 | 45.90  | 51  | 32  | 21 | 31 | 8  |
| 16 AT10-31 | 2F   | 16 | 49.10  | 54  | 35  | 21 | 31 | 8  |
| 18 AT10-31 | 2F   | 18 | 55.45  | 60  | 40  | 21 | 31 | 8  |
| 19 AT10-31 | 2F   | 19 | 58.65  | 66  | 44  | 21 | 31 | 8  |
| 20 AT10-31 | 2F   | 20 | 61.80  | 66  | 46  | 21 | 31 | 8  |
| 22 AT10-31 | 2F   | 22 | 68.20  | 75  | 52  | 21 | 31 | 8  |
| 24 AT10-31 | 2F   | 24 | 74.55  | 83  | 58  | 21 | 31 | 8  |
| 25 AT10-31 | 2F   | 25 | 77.75  | 83  | 60  | 21 | 31 | 8  |
| 26 AT10-31 | 2F   | 26 | 80.90  | 87  | 60  | 21 | 31 | 8  |
| 27 AT10-31 | 2F   | 27 | 84.10  | 91  | 60  | 21 | 31 | 8  |
| 28 AT10-31 | 2F   | 28 | 87.25  | 93  | 60  | 21 | 31 | 8  |
| 30 AT10-31 | 2F   | 30 | 93.65  | 97  | 60  | 21 | 31 | 8  |
| 32 AT10-31 | 2F   | 32 | 100.00 | 106 | 65  | 21 | 31 | 10 |
| 36 AT10-31 | 2F   | 36 | 112.75 | 119 | 70  | 21 | 31 | 10 |
| 40 AT10-31 | 2F   | 40 | 125.45 | 131 | 80  | 21 | 31 | 10 |
| 44 AT10-31 | 2    | 44 | 138.20 | —   | 88  | 21 | 31 | 10 |
| 48 AT10-31 | 2    | 48 | 150.95 | —   | 95  | 21 | 31 | 16 |
| 60 AT10-31 | 2    | 60 | 189.15 | —   | 110 | 21 | 31 | 16 |

## AT10-40

Pitch = 10mm For belt width 25mm

| Part No.   | Type | Z  | De     | Df  | Dm  | F  | L  | d  |
|------------|------|----|--------|-----|-----|----|----|----|
| 15 AT10-40 | 2F   | 15 | 45.90  | 51  | 32  | 30 | 40 | 8  |
| 16 AT10-40 | 2F   | 16 | 49.10  | 54  | 35  | 30 | 40 | 8  |
| 18 AT10-40 | 2F   | 18 | 55.45  | 60  | 40  | 30 | 40 | 8  |
| 19 AT10-40 | 2F   | 19 | 58.65  | 66  | 44  | 30 | 40 | 8  |
| 20 AT10-40 | 2F   | 20 | 61.80  | 66  | 46  | 30 | 40 | 8  |
| 22 AT10-40 | 2F   | 22 | 68.20  | 75  | 52  | 30 | 40 | 8  |
| 24 AT10-40 | 2F   | 24 | 74.55  | 83  | 58  | 30 | 40 | 8  |
| 25 AT10-40 | 2F   | 25 | 77.75  | 83  | 60  | 30 | 40 | 8  |
| 26 AT10-40 | 2F   | 26 | 80.90  | 87  | 60  | 30 | 40 | 8  |
| 27 AT10-40 | 2F   | 27 | 84.10  | 91  | 60  | 30 | 40 | 8  |
| 28 AT10-40 | 2F   | 28 | 87.25  | 93  | 60  | 30 | 40 | 8  |
| 30 AT10-40 | 2F   | 30 | 93.65  | 97  | 60  | 30 | 40 | 8  |
| 32 AT10-40 | 2F   | 32 | 100.00 | 106 | 65  | 30 | 40 | 10 |
| 36 AT10-40 | 2F   | 36 | 112.75 | 119 | 70  | 30 | 40 | 10 |
| 40 AT10-40 | 2F   | 40 | 125.45 | 131 | 80  | 30 | 40 | 10 |
| 44 AT10-40 | 2    | 44 | 138.20 | —   | 88  | 30 | 40 | 10 |
| 48 AT10-40 | 2    | 48 | 150.95 | —   | 95  | 30 | 40 | 16 |
| 60 AT10-40 | 2    | 60 | 189.15 | —   | 110 | 30 | 40 | 16 |

## AT10-47

Pitch = 10mm For belt width 32mm


| Part No.   | Type | Z  | De     | Df  | Dm  | F  | L  | d  |
|------------|------|----|--------|-----|-----|----|----|----|
| 18 AT10-47 | 2F   | 18 | 55.45  | 60  | 40  | 37 | 47 | 10 |
| 19 AT10-47 | 2F   | 19 | 58.65  | 66  | 44  | 37 | 47 | 10 |
| 20 AT10-47 | 2F   | 20 | 61.80  | 66  | 46  | 37 | 47 | 12 |
| 22 AT10-47 | 2F   | 22 | 68.20  | 75  | 52  | 37 | 47 | 12 |
| 24 AT10-47 | 2F   | 24 | 74.55  | 83  | 58  | 37 | 47 | 12 |
| 25 AT10-47 | 2F   | 25 | 77.75  | 83  | 60  | 37 | 47 | 12 |
| 26 AT10-47 | 2F   | 26 | 80.90  | 87  | 60  | 37 | 47 | 12 |
| 27 AT10-47 | 2F   | 27 | 84.10  | 91  | 60  | 37 | 47 | 12 |
| 28 AT10-47 | 2F   | 28 | 87.25  | 93  | 60  | 37 | 47 | 12 |
| 30 AT10-47 | 2F   | 30 | 93.65  | 97  | 60  | 37 | 47 | 12 |
| 32 AT10-47 | 2F   | 32 | 100.00 | 106 | 65  | 37 | 47 | 12 |
| 36 AT10-47 | 2F   | 36 | 112.75 | 119 | 70  | 37 | 47 | 16 |
| 40 AT10-47 | 2F   | 40 | 125.45 | 131 | 80  | 37 | 47 | 16 |
| 44 AT10-47 | 2    | 44 | 138.20 | —   | 88  | 37 | 47 | 16 |
| 48 AT10-47 | 2    | 48 | 150.95 | —   | 95  | 37 | 47 | 16 |
| 60 AT10-47 | 2    | 60 | 189.15 | —   | 110 | 37 | 47 | 16 |

## AT10-66

Pitch = 10mm For belt width 50mm

| Part No.   | Type | Z  | De     | Df  | Dm  | F  | L  | d  |
|------------|------|----|--------|-----|-----|----|----|----|
| 18 AT10-66 | 2F   | 18 | 55.45  | 60  | 40  | 56 | 66 | 10 |
| 19 AT10-66 | 2F   | 19 | 58.65  | 66  | 44  | 56 | 66 | 10 |
| 20 AT10-66 | 2F   | 20 | 61.80  | 66  | 46  | 56 | 66 | 12 |
| 22 AT10-66 | 2F   | 22 | 68.20  | 75  | 52  | 56 | 66 | 12 |
| 24 AT10-66 | 2F   | 24 | 74.55  | 83  | 58  | 56 | 66 | 12 |
| 25 AT10-66 | 2F   | 25 | 77.75  | 83  | 60  | 56 | 66 | 12 |
| 26 AT10-66 | 2F   | 26 | 80.90  | 87  | 60  | 56 | 66 | 12 |
| 27 AT10-66 | 2F   | 27 | 84.10  | 91  | 60  | 56 | 66 | 12 |
| 28 AT10-66 | 2F   | 28 | 87.25  | 93  | 60  | 56 | 66 | 12 |
| 30 AT10-66 | 2F   | 30 | 93.65  | 97  | 60  | 56 | 66 | 12 |
| 32 AT10-66 | 2F   | 32 | 100.00 | 106 | 65  | 56 | 66 | 12 |
| 36 AT10-66 | 2F   | 36 | 112.75 | 119 | 70  | 56 | 66 | 16 |
| 40 AT10-66 | 2F   | 40 | 125.45 | 131 | 80  | 56 | 66 | 16 |
| 44 AT10-66 | 2    | 44 | 138.20 | —   | 88  | 56 | 66 | 16 |
| 48 AT10-66 | 2    | 48 | 150.95 | —   | 95  | 56 | 66 | 16 |
| 60 AT10-66 | 2    | 60 | 189.15 | —   | 110 | 56 | 66 | 16 |

# AMS-KSEIndonesia Corp



## PT. APINDO MITRA SELARAS

### **Serang Office :**

Komp. Lebak Indah Griya Asri  
Blok D4-D5 No.17 & No.05  
Waringin Kuring - Kramatwatu  
Serang, Banten  
42161

### **Cilegon Office :**

Jl. Raya Pondok Cilegon Indah  
Ruko Cilegon City Square Blok I No.7  
Kedaleman - Cibeber  
Cilegon, Banten  
42422

### **Workshop :**

Jl. Sultan Syahrir Kubang Sepat  
Citangkil No. 105  
Cilegon, Banten  
42441

***aris@kseindonesia.com - sales@kseindonesia.com - cso@kseindonesia.com***  
***www.kseindonesia.com***