

Garlock

Oil Seals by Shaft Size (Metric)

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
8	18	5.0	61	1748	19	40	8.0	63	0145
10	19	7.0	92	0004	19	40	8.0	66	0145
10	25	7.0	92	0012	19	40	10.0	63	0146
11	26	7.0	71	7008	19	40	15.0	63T2	5214
11	30	8.0	63	8101	19	42	8.0	63	8035
11	32	8.0	63	8011	19	47	8.0	63	4935
11	35	8.0	63	8337	19	47	10.0	63	6120
12	22	7.0	92	0020	19	47	10.0	94	6120
12	25	7.0	92	0022	20	30	7.0	92	0120
12	28	7.0	61	0024	20	32	7.0	92	0154
12	28	7.0	92	0024	20	32	17.5	EQ	1905
12	30	8.0	63	8012	20	35	7.0	92	0164
12	32	8.0	63	6623	20	35	8.0	61	1760
12	35	8.0	63	8338	20	35	16.0	IG	4868
14	24	7.0	92	0026	20	40	7.0	92	0184
15	24	7.0	92	0028	20	40	16.0	EQ	4596
15	26	7.0	92	0030	20	40	19.0	IG	4448
15	30	8.0	63	8020	20	42	7.0	92	0188
15	30	8.0	61	8020	20	42	16.0	EQ	5325
15	32	7.0	92	0032	20	47	7.0	61	0194
15	32	8.0	63	8021	20	47	7.0	92	0194
15	35	7.0	92	0033	20	52	10.0	92	0196
15	35	8.0	63	8109	22	32	7.0	76	9855
15	40	8.0	63	0085	22	35	7.0	61	1232
15	40	8.0	62	0085	22	35	7.0	26R1	0209
16	27	5.0	71	7022	22	40	7.0	92	0198
16	30	7.0	92	0048	22	40	8.0	61	1470
16	30	8.0	63	8023	22	47	7.0	92	0206
16	30	8.0	61	2280	22	50	16.0	EQ	3088
16	32	8.0	63	4680	23	40	8.0	63	0235
16	35	8.0	63	8342	23	40	8.0	62	0235
16	40	8.0	63	0095	23	40	10.0	63	0236
16	40	10.0	63	0096	23	42	8.0	63	8050
16	40	10.0	94	0096	23	47	10.0	63	8051
17	28	7.0	76	9856	23	52	10.0	63	8052
17	28	7.0	92	9856	24	35	7.0	92	0209
17	28	8.0	61	1754	24	40	7.0	92	0210
17	30	7.0	92	0064	24	44	16.0	EQ	3263
17	35	8.0	61	1755	24	49	12.0	26R1	3712
17	40	7.0	92	0066	25	35	7.0	61	0212
17	40	14.0	63T2	7405	25	35	7.0	92	0212
17	40	16.0	EQ	5416	25	35	8.0	61	1478
18	30	7.0	92	0074	25	37	7.0	92	0230
19	27	3.0	71	7029	25	38	7.0	26R1	0280
19	27	5.0	71	7028	25	42	7.0	92	0232
19	32	7.0	92	0118	25	42	8.0	61	1761
19	32	8.0	63	8033	25	47	7.0	92	0250
19	32	8.0	66	8033	25	47	10.0	63	6859
19	32	11.0	63	3870	25	47	10.0	61	6859
19	35	8.0	63	8344	25	47	16.0	EQ	4563
19	38	16.0	EQ	5223	25	47	16.0	IG	4563
19	40	7.0	92	6289	25	48	19.0	IG	5534

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size (Metric)

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
25	50	16.0	EQ	5593	30	72	10.0	94	4697
25	50	18.0	EQ	1978	30	72	19.0	IG	4422
25	52	7.0	92	0254	31	52	5.0	76	7515
25	52	10.0	63	4687	31	52	10.0	63	8068
25	52	10.0	62	4687	31	54	11.0	63	0413
25	52	12.5	EQ	0773	32	43	10.0	26	0449
26	42	7.0	92	0262	32	45	8.0	61	2224
26	47	7.0	92	0272	32	47	7.0	92	0350
27	40	8.0	63	0321	32	47	8.0	61	1776
27	40	8.0	66	0321	32	47	16.0	IG	4922
27	40	10.0	63	0322	32	52	7.0	92	0364
27	42	8.0	63	8062	32	52	9.0	61	2212
27	47	10.0	63	8063	33	45	8.0	61	1784
27	52	10.0	63	8064	33	47	8.0	61	1785
28	38	7.0	92	0280	34	54	10.0	63	0514
28	40	7.0	92	0284	34	54	11.0	63	0515
28	47	10.0	63	5562	34	55	8.0	26R1	0574
28	47	10.0	61	1233	34	62	10.0	63	8072
28	47	10.0	61	5562	35	47	7.0	92	0366
28	47	17.5	EQ	2842	35	47	8.0	61	1787
30	40	7.0	61	0312	35	47	10.0	61	1788
30	40	7.0	92	0312	35	47	10.0	61	1788
30	42	7.0	92	0316	35	47	16.0	IG	4924
30	42	8.0	61	1763	35	50	7.0	61	2119
30	42	16.0	IG	4920	35	50	7.0	92	0368
30	45	8.0	92	0318	35	50	8.0	26R1	0572
30	45	16.0	IG	5204	35	50	10.0	61	1789
30	47	7.0	61	0320	35	50	16.0	IG	4925
30	47	7.0	92	0320	35	52	7.0	26	1139
30	47	10.0	63	9342	35	52	10.0	63	6655
30	47	10.0	61	9342	35	52	10.0	62	6655
30	47	17.5	EQ	3638	35	52	16.0	IG	4926
30	48	8.0	92	0332	35	54	10.0	66	0541
30	50	7.0	26	0378	35	54	10.0	67	0541
30	50	11.0	26R1	0379	35	54	10.0	62	0541
30	50	19.0	IG	5599	35	54	10.0	68	0541
30	50	19.0	IG	5599	35	54	10.0	26	1829
30	52	7.0	92	0341	35	54	10.0	76	0541
30	52	10.0	63	3877	35	54	11.0	63	0542
30	52	10.0	66	3877	35	54	11.0	62	0542
30	52	10.0	62	3877	35	54	13.0	63	0543
30	54	10.0	63	0394	35	54	13.0	62	0543
30	54	10.0	66	0394	35	54	15.0	63F1	7567
30	54	11.0	63	0395	35	54	16.0	63F1	9833
30	60	12.5	EQ	1122	35	54	17.0	63R1	6479
30	62	6.0	71	7060	35	54	17.0	63R2	6479
30	62	7.0	92	0342	35	54	17.0	63T2	6479
30	62	10.0	63	4600	35	55	8.0	92	0371
30	62	10.0	94	4600	35	55	11.0	26R1	0573
30	62	19.0	IG	5584	35	55	16.0	EQ	2260
30	72	8.0	92	0348	35	55	19.0	IG	4529
30	72	10.0	63	4597	35	57	10.0	26	0575

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size (Metric)

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
35	60	16.0	EQ	1752	40	72	7.0	92	0435
35	62	7.0	92	0376	40	78	19.0	IG	4441
35	62	8.0	94	5091	40	80	10.0	92	0449
35	62	10.0	63	6658	40	80	16.0	EQ	2631
35	62	10.0	66	6658	40	87	16.0	EQ	3915
35	62	13.0	26	0708	40	100	16.0	EQ	3498
35	72	8.0	94	6639	41	61	19.0	IG	4825
35	72	10.0	63	4584	42	55	9.0	26	0759
35	72	10.0	67	4584	42	55	10.0	26	0791
35	72	10.0	68	4584	42	55	16.0	IG	4938
35	73	10.0	63	9612	42	60	7.0	92	0452
35	80	10.0	94	6557	42	60	10.0	61	1792
35	80	16.0	EQ	3087	42	62	8.0	26	1096
35	88	12.5	EQ	0913	42	62	10.0	63	8082
35	88	13.0	26	0913	42	62	10.0	61	1793
36	47	7.0	92	0378	42	62	16.0	EQ	2918
36	52	10.0	63	7748	42	62	19.0	IG	5540
36	54	7.0	92	0379	42	65	16.0	EQ	2611
37	50	8.0	92	9965	42	66	16.0	EQ	2127
37	52	8.0	92	6218	42	72	10.0	63	8083
38	54	7.0	61	1791	42	73	10.0	63	0817
38	54	8.0	61	1790	43	54	5.0	76	7527
38	54	10.0	61	1794	43	54	5.0	92	7527
38	55	7.0	92	0381	43	62	10.0	63	7456
38	55	10.0	61	1484	43	70	8.0	61	2532
38	55	16.0	IG	4934	43	70	10.0	63	0847
38	55	17.5	EQ	2839	43	70	10.0	66	0847
38	62	7.0	92	0382	43	70	11.0	63	0848
39	62	10.0	63	8076	43	70	13.0	63	0849
39	70	10.0	63	0694	43	72	10.0	63	7126
40	52	7.0	92	0391	43	73	10.0	63	0853
40	52	16.0	IG	4718	43	73	10.0	66	0853
40	52	17.5	EQ	1359	43	73	11.0	63	0854
40	55	7.0	92	0392	43	73	13.0	63	0855
40	55	8.0	61	2055	43	73	15.0	63F1	9667
40	55	10.0	61	1931	44	60	9.0	26R1	0895
40	56	7.0	92	0393	44	72	10.0	63	7865
40	58	8.0	92	0406	45	55	16.0	IG	4554
40	58	10.0	61	2136	45	60	7.0	92	0488
40	58	16.0	IG	5068	45	60	8.0	61	1796
40	60	9.0	26	0733	45	60	17.5	EQ	3149
40	60	19.0	IG	5539	45	62	8.0	26R1	0935
40	62	7.0	92	0423	45	62	10.0	58	1797
40	62	8.0	61	0132	45	62	10.0	61	1797
40	62	9.5	61	8610	45	62	10.0	26	1097
40	62	10.0	63	7884	45	62	17.5	EQ	1923
40	62	10.0	63	8610	45	65	7.0	61	1798
40	62	11.0	26R1	0729	45	65	8.0	61	1799
40	62	19.0	IG	4808	45	65	10.0	63	9223
40	65	7.0	26	1228	45	65	10.0	61	9223
40	65	10.0	61	1912	45	65	10.0	26	4044
40	65	12.0	26R1	1030	45	65	19.0	IG	5541

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size (Metric)

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
45	67	12.5	EQ	1374	50	73	10.0	66	1162
45	70	19.0	IG	4490	50	73	10.0	62	1162
45	72	8.0	92	0512	50	73	13.0	63	1164
45	72	9.0	26	9538	50	73	17.0	63F1	5215
45	72	10.0	61	1800	50	75	8.0	61	2422
45	75	8.0	94	8004	50	75	12.5	EQ	1127
45	75	19.0	IG	4581	50	75	16.0	EQ	1197
45	80	10.0	92	0516	50	75	19.0	IG	4700
45	85	10.0	92	0520	50	80	8.0	26	1103
45	100	19.0	IG	4678	50	80	9.5	61	7415
46	70	13.0	63	0987	50	80	10.0	63	7415
46	72	10.0	63	8088	50	80	16.0	EQ	1975
46	73	10.0	63	0991	50	81	10.0	63	1180
46	73	15.0	63F1	6592	50	81	10.0	66	1180
46	80	10.0	63	8089	50	81	12.0	26	1155
46	90	13.0	26	1002	50	81	16.0	EQ	2969
47	65	10.0	92	0522	50	90	10.0	26R1	1953
48	62	8.0	92	0533	50	90	10.0	76	0373
48	65	10.0	61	0534	50	90	16.0	EQ	3600
48	65	10.0	92	0534	50	90	19.0	IG	4553
48	65	17.5	EQ	2681	50	110	9.0	26R1	2621
48	70	16.0	EQ	1935	50	110	9.5	26	2621
48	70	19.0	IG	4189	50	110	10.0	94	8005
48	72	8.0	92	0558	52	68	8.0	92	0572
48	72	16.0	EQ	4943	52	72	8.0	92	0573
48	73	16.0	IG	5270	52	75	16.0	EQ	4660
50	62	7.0	26R1	1106	52	80	19.0	IG	5533
50	65	8.0	61	0563	54	72	10.0	63	8112
50	65	8.0	92	0563	54	73	10.0	63	1321
50	65	9.0	26R1	7654	54	73	10.0	66	1321
50	65	10.0	61	1814	54	73	10.0	67	1321
50	65	17.5	EQ	3431	54	73	10.0	62	1321
50	67	17.5	EQ	2155	54	73	10.0	68	1321
50	68	8.0	92	0567	54	73	10.0	26	1321
50	68	9.0	26R1	1108	54	73	10.0	25	1321
50	68	16.0	IG	4945	54	73	11.0	63	1322
50	68	17.5	EQ	1846	54	73	11.0	26	1320
50	69	19.0	IG	4880	54	73	12.0	63	5688
50	70	10.0	63	1156	54	73	13.0	63	1323
50	70	10.0	66	1156	54	73	13.0	62	1323
50	70	10.0	61	1156	54	73	15.0	63F1	4916
50	70	10.0	26	1104	54	73	17.0	63F1	4592
50	70	16.0	EQ	3225	54	73	17.0	63R2	4592
50	70	17.5	EQ	3229	54	73	17.0	63T2	4592
50	70	19.0	IG	4819	54	80	10.0	63	8353
50	72	8.0	61	0571	54	81	10.0	63	1339
50	72	10.0	63	6656	54	81	10.0	66	1339
50	72	10.0	66	6656	54	81	11.0	62	1340
50	72	10.0	61	6656	54	81	13.0	63	1341
50	72	12.0	26R1	1107	54	81	19.0	63F1	7787
50	72	16.0	EQ	4947	54	85	10.0	63	8354
50	73	10.0	63	1162	54	90	11.0	26	1355

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size (Metric)

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
54	90	11.0	26R1	1355	60	75	8.0	61	1490
54	92	10.0	94	9670	60	75	8.0	26R1	1605
54	92	11.0	63	3902	60	75	16.0	IG	4458
55	60	8.0	61	1833	60	78	9.0	26	4258
55	70	8.0	61	0574	60	78	10.0	26	1565
55	70	8.0	92	0574	60	80	8.0	92	0653
55	70	17.5	EQ	2675	60	80	9.5	61	0653
55	72	8.0	61	0882	60	80	10.0	61	1839
55	72	8.0	26R1	1369	60	80	16.0	EQ	1348
55	72	9.0	26	4260	60	80	16.0	EQ	5431
55	72	10.0	61	1835	60	80	16.0	IG	1348
55	72	16.0	IG	4952	60	80	17.5	EQ	3639
55	73	17.5	EQ	2485	60	80	19.0	IG	5543
55	75	10.0	92	0575	60	80	19.0	IG	6231
55	75	17.5	EQ	3505	60	82	12.0	26R1	1606
55	75	19.0	IG	4492	60	84	16.0	IG	5126
55	78	9.0	26R1	1371	60	85	8.0	92	0672
55	78	12.0	26R1	1370	60	90	8.0	92	0683
55	78	19.0	IG	5542	60	90	14.0	26R1	1031
55	80	8.0	92	0576	60	90	16.0	EQ	2488
55	80	10.0	26	3587	60	110	11.1	61	2584
55	80	12.0	76	0345	60	110	13.0	58	2488
55	80	16.0	EQ	2005	61	80	10.0	63	8371
55	81	16.0	EQ	1805	61	85	10.0	63	8372
55	85	8.0	92	0585	61	90	10.0	63	1708
55	90	10.0	94	8006	61	92	10.0	63	1711
55	90	16.0	EQ	1906	61	92	10.0	62	1711
55	90	19.0	IG	4744	61	100	10.0	63	7926
55	95	16.0	EQ	5606	62	55	19.0	IG	4860
55	100	10.0	26	7209	62	76	16.0	IG	5139
55	100	10.0	94	7209	62	80	10.0	63	8373
55	100	16.0	EQ	4447	62	80	10.0	61	8373
56	70	8.0	92	0588	62	81	10.0	63	1729
56	72	8.0	92	0606	62	81	17.0	63R2	7136
56	80	8.0	92	0629	62	85	10.0	63	8374
56	80	16.0	EQ	4201	62	85	10.0	23	0793
56	80	19.0	IG	5545	62	85	10.0	92	0793
56	85	8.0	92	0633	62	85	16.0	EQ	5488
57	83	16.0	EQ	1981	62	90	10.0	63	1750
58	72	8.0	92	0745	62	90	10.0	62	1750
58	72	17.5	EQ	3657	62	90	10.0	92	0684
58	80	8.0	92	0635	62	90	11.0	63	1751
58	80	10.0	63	8363	62	90	13.0	63	1752
58	80	12.5	EQ	1985	62	90	13.0	62	1752
58	85	10.0	63	8364	62	92	10.0	63	1753
58	85	10.0	92	0642	62	100	10.0	63	7927
58	90	10.0	63	1543	63	85	10.0	61	1843
58	90	16.0	EQ	3025	63	85	12.0	61	1845
58	92	10.0	63	1546	63	90	16.0	EQ	3568
58	92	13.0	63	1548	64	80	8.0	92	0698
59	80	8.0	61	1838	64	88	12.0	26	0829
60	75	8.0	58	1490	64	95	19.0	IG	4747

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size (Metric)

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
65	80	10.0	61	1847	70	90	12.5	EQ	2067
65	82	16.0	IG	5544	70	90	13.0	63	2040
65	85	10.0	63	8378	70	90	16.0	EQ	2059
65	85	10.0	61	0710	70	90	16.0	EQ	2919
65	85	10.0	23	0710	70	90	19.0	IG	4969
65	85	10.0	92	0710	70	92	10.0	63	2041
65	85	16.0	EQ	2816	70	92	10.0	66	2041
65	85	19.0	IG	4532	70	92	10.0	67	2041
65	88	12.0	26R1	1859	70	92	10.0	68	2041
65	88	16.0	EQ	1858	70	92	11.0	63	2042
65	90	8.0	63	1861	70	92	12.0	26R1	2027
65	90	10.0	63	1888	70	92	12.5	EQ	2078
65	90	10.0	61	0729	70	92	13.0	63	2043
65	90	10.0	61	0729	70	92	16.0	EQ	5095
65	90	10.0	23	9162	70	95	16.0	EQ	3107
65	90	10.0	92	0729	70	95	19.0	IG	4192
65	90	13.0	63	1890	70	100	10.0	63	7934
65	90	16.0	EQ	1883	70	100	10.0	92	0759
65	90	19.0	IG	4721	70	100	12.5	EQ	2087
65	92	10.0	63	1891	70	100	16.0	EQ	2250
65	92	11.0	63	1892	70	102	12.7	26	5598
65	92	11.0	62	1892	70	110	16.0	EQ	3989
65	92	13.0	63	1893	71	88	12.0	26	2077
65	95	10.0	92	0733	72	90	10.0	92	0770
65	100	10.0	63	6300	72	95	10.0	23	1039
65	100	10.0	94	6300	72	95	10.0	92	0776
65	110	19.0	IG	5367	72	100	10.0	92	0791
65	120	10.0	94	6301	73	92	10.0	63	2115
65	140	10.0	94	6302	73	92	10.0	62	2115
66	86	12.5	EQ	1747	73	92	11.0	63	2116
68	87	9.5	23	1722	73	92	13.0	63	2117
68	90	10.0	92	0735	73	100	10.0	63	7938
68	90	12.5	EQ	1984	75	90	10.0	61	2377
68	90	16.0	EQ	3023	75	95	10.0	92	0797
68	100	10.0	92	0749	75	95	13.0	61	1848
69	90	10.0	63	2017	75	95	13.0	26	3663
69	92	10.0	63	2020	75	95	16.0	EQ	3316
69	92	10.0	66	2020	75	95	17.5	EQ	3312
69	100	10.0	63	7933	75	95	19.0	IG	4822
70	85	8.0	26R1	2026	75	100	9.5	61	2966
70	90	6.0	26	2071	75	100	9.5	23	2966
70	90	9.5	23	4765	75	100	10.0	61	0809
70	90	10.0	63	2038	75	100	10.0	92	0809
70	90	10.0	66	2038	75	100	12.5	EQ	1078
70	90	10.0	67	2038	75	100	13.0	58	1921
70	90	10.0	62	2038	75	100	13.0	26	0827
70	90	10.0	68	2038	75	100	16.0	EQ	2166
70	90	10.0	61	2038	75	100	19.0	IG	4749
70	90	10.0	26	2070	75	107	12.5	23	2105
70	90	11.0	63	2039	75	107	12.7	23	2331
70	90	11.0	26	2039	75	107	13.0	26	2105
70	90	12.0	26R1	1032	75	110	12.0	92	0819

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size (Metric)

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
75	115	10.0	94	5074	85	115	14.0	EQ	3584
75	115	12.0	26R1	2908	85	115	16.0	EQ	2311
75	120	12.0	92	0824	85	120	12.0	53	7394
78	100	11.0	23	4769	85	120	12.0	26R1	7394
78	100	16.0	EQ	3024	85	120	12.0	23	7394
80	100	10.0	61	1033	85	120	16.0	EQ	5521
80	100	10.0	26R1	1033	85	125	12.0	53	7399
80	100	10.0	23	1033	85	125	19.0	IG	4816
80	100	13.0	26	2238	85	130	13.0	94	6314
80	100	16.0	EQ	2240	85	130	16.0	EQ	5110
80	100	17.5	EQ	3674	86	130	19.0	IG	4748
80	100	19.0	IG	4798	86	135	19.0	IG	4750
80	105	10.0	61	2411	87	119	12.0	26	4224
80	105	13.0	26	2215	88	110	12.0	92	0834
80	105	13.0	26R1	2215	88	110	12.7	23	1772
80	105	16.0	EQ	2272	88	110	15.0	26R1	0846
80	105	19.0	IG	4728	89	120	13.0	53	7963
80	110	6.0	26	2243	89	125	14.0	53	8877
80	110	10.0	92	0831	89	127	13.0	53	2378
80	110	12.0	53	7426	89	127	13.0	53	7253
80	110	12.0	23	7426	89	127	13.0	66	2378
80	110	12.7	23	1998	89	127	16.0	53	2380
80	110	16.0	EQ	3593	89	127	18.0	53F1	7332
80	115	12.5	EQ	2239	89	127	23.0	53R2	7324
80	120	19.0	IG	5293	89	130	13.0	53	7965
80	130	16.0	EQ	5269	90	110	10.0	61	1856
81	110	13.0	53	7950	90	110	12.0	26R1	2437
81	120	13.0	53	8121	90	110	13.0	26	5002
81	127	13.0	53	2267	90	110	16.0	EQ	3265
81	127	13.0	66	2267	90	115	12.0	23	9963
81	127	25.0	53T2	8608	90	115	12.5	23	8803
82	101	10.0	26	2111	90	115	12.7	23	4846
82	113	16.0	EQ	3109	90	115	13.0	26	5344
82	114	13.0	23	1590	90	115	13.0	26R1	5344
84	110	10.0	61	1850	90	120	12.0	53	7839
84	110	14.0	26	2562	90	120	12.0	23	7839
84	110	16.0	EQ	1988	90	120	12.0	92	7839
85	100	10.0	61	1851	90	120	13.0	53	8429
85	100	17.5	EQ	5104	90	120	13.0	26	2457
85	105	10.0	61	1853	90	120	13.0	23	8429
85	105	13.0	26	2310	90	120	16.0	EQ	2902
85	105	16.0	EQ	2523	90	120	19.0	IG	4758
85	110	10.0	61	1854	90	126	19.0	IG	4844
85	110	12.0	26	2214	92	120	13.0	53	7968
85	110	12.0	23	2214	92	127	13.0	53	2426
85	110	12.0	57	2214	92	127	14.0	53	5582
85	110	12.5	23	2137	92	127	16.0	53	2428
85	110	12.7	23	5650	92	127	18.0	53F1	5646
85	110	13.0	26	5343	92	130	13.0	53	7970
85	110	16.0	EQ	3161	95	115	12.0	92	0850
85	110	19.0	IG	4193	95	120	10.0	61	1859
85	115	13.0	92	0833	95	120	12.0	26R1	9190

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size (Metric)

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
95	120	12.0	23	9190	105	130	12.7	23	2000
95	120	12.0	92	9190	105	130	13.0	23	6052
95	120	13.0	26R1	6061	105	130	16.0	EQ	2625
95	120	13.0	23	6061	105	130	19.0	IG	4981
95	120	13.0	57	6061	105	135	12.7	23	5763
95	120	16.0	EQ	3021	105	135	14.0	26	5353
95	125	12.0	23	1010	105	135	14.0	26R1	1034
95	125	12.0	92	1010	105	135	14.0	23	5353
95	125	19.0	IG	4979	105	140	12.0	23	0866
95	130	12.0	92	0851	105	140	12.0	92	0866
95	130	16.0	EQ	2972	105	140	16.0	EQ	5309
95	140	19.0	IG	4751	105	140	19.0	IG	4982
100	120	10.0	92	0852	107	148	19.0	IG	4835
100	120	11.0	58	4263	108	127	11.0	26	2653
100	120	12.0	61	2242	110	126	16.0	IG	5266
100	120	12.7	23	9284	110	130	9.0	26	3260
100	120	13.0	26R1	9030	110	130	12.0	26R1	2034
100	120	16.0	EQ	1347	110	130	13.0	26	2686
100	120	19.0	IG	4980	110	130	16.0	EQ	3318
100	125	6.5	26	1907	110	130	17.5	EQ	3315
100	125	10.0	23	0811	110	135	11.0	23	5364
100	125	11.0	23	5363	110	135	12.7	23	2626
100	125	12.0	92	0860	110	137	12.7	23	0587
100	125	12.5	23	1875	110	140	12.0	53	7396
100	125	12.7	23	3248	110	140	12.0	61	7396
100	125	13.0	26	5345	110	140	12.0	26R1	7396
100	125	13.0	26R1	5345	110	140	12.0	23	7396
100	125	16.0	EQ	2230	110	140	12.7	23	9567
100	125	19.0	IG	4649	110	140	13.0	61	1502
100	126	19.0	IG	5072	110	140	13.0	26	2731
100	127	12.0	23	6129	110	140	13.0	26R1	2731
100	127	13.0	53	2519	110	140	14.0	58	4264
100	127	13.0	62	2519	110	140	14.0	26R1	2703
100	127	13.0	26	5913	110	140	14.0	59	2703
100	127	14.0	53	2520	110	140	14.0	23	5346
100	127	16.0	53	2521	110	140	16.0	EQ	1082
100	127	23.0	53R1	5049	110	140	19.0	IG	4984
100	128	10.0	23	1000	110	150	16.0	23	6992
100	130	9.5	23	3229	110	170	13.0	94	4488
100	130	12.0	53	7842	112	145	14.0	58	2262
100	130	12.0	92	7842	113	162	19.0	IG	4841
100	130	12.7	23	7979	115	140	11.0	23	5365
100	130	13.0	53	7979	115	140	12.0	53	7271
100	130	13.0	61	7979	115	140	12.0	26R1	2279
100	130	16.0	EQ	1346	115	140	12.0	23	7271
100	130	19.0	IG	4859	115	140	12.0	57	2779
100	135	16.0	EQ	4091	115	140	16.0	EQ	2780
100	140	16.0	EQ	5604	115	145	12.0	92	0869
101	141	16.0	26	4225	115	145	14.0	26	0841
105	130	12.0	23	8768	115	145	14.0	23	5347
105	130	12.0	92	8768	115	145	20.0	26R1	3419
105	130	12.0	57	8768	118	128	16.0	IG	5326

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size (Metric)

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
118	142	16.0	EQ	5510	132	160	12.7	23	9275
120	140	13.0	61	1862	135	164	12.4	23	5378
120	140	13.0	26	1855	135	165	8.0	61	1884
120	140	19.0	IG	5550	135	165	14.0	23	5355
120	145	11.0	26	0994	135	165	16.0	EQ	5088
120	145	11.0	23	5366	135	168	18.0	26	2047
120	145	12.7	23	2634	135	170	12.0	23	9175
120	150	11.0	23	8242	135	170	13.0	26	9175
120	150	12.0	53	7376	135	170	15.0	26R1	3118
120	150	12.0	23	7376	135	170	15.0	23	3118
120	150	12.0	92	7376	135	170	16.0	EQ	3162
120	150	12.7	23	5118	138	178	16.0	26	4226
120	150	13.0	61	1880	138	181	13.0	53	3164
120	150	13.0	26R1	2863	140	160	13.0	26R1	3201
120	150	14.0	26	5348	140	165	10.0	61	1898
120	150	14.0	23	5348	140	165	12.5	23	2019
120	150	15.0	53	7277	140	165	12.7	23	0674
120	150	15.0	26R1	7277	140	165	16.0	EQ	5140
120	150	16.0	EQ	3179	140	170	8.0	26	3203
120	155	13.0	23	1303	140	170	12.0	23	1718
120	160	12.0	53	7836	140	170	12.0	92	1718
120	160	12.0	26	7836	140	170	13.0	23	9158
120	160	12.0	23	7836	140	170	14.0	53	7383
124	160	10.5	23	1707	140	170	14.0	61	7383
125	150	12.0	58	2887	140	170	14.0	26R1	7383
125	150	12.0	23	2887	140	170	15.0	53	7267
125	150	12.0	92	2887	140	170	15.0	26	7267
125	150	15.0	23	1259	140	170	15.0	23	7267
125	154	12.4	23	5377	140	170	15.0	57	7267
125	155	14.0	26R1	5354	140	170	16.0	59	1134
125	155	14.0	23	5354	140	170	16.0	23	5861
125	155	16.0	EQ	5089	140	173	14.0	23	5368
125	160	12.0	92	0873	140	175	18.0	26	3204
125	160	13.0	23	2293	140	175	18.0	23	3204
125	160	15.0	26	2889	140	180	15.0	61	2461
125	160	18.0	23	1397	140	180	16.0	26	2098
125	170	12.0	26R1	2890	140	180	16.0	23	3148
125	175	16.0	EQ	2930	142	162	19.0	IG	5549
127	152	27.0	IGSPB	7102	143	181	13.0	53	3240
127	159	19.0	IG	4203	143	181	19.0	23	6368
127	181	13.0	53	2942	145	175	14.0	26R1	5349
130	159	12.0	23	5367	145	175	14.0	23	5349
130	160	12.0	23	4656	145	175	15.0	57	0958
130	160	12.0	92	4656	145	180	15.0	23	4415
130	160	12.0	57	4656	145	180	16.0	23	3197
130	160	13.0	23	7221	146	180	15.0	23	0519
130	160	14.0	58	2989	146	181	13.0	53	3284
130	160	14.0	26R1	2989	150	180	12.0	92	0875
130	160	15.0	26	2988	150	180	13.0	23	1111
130	160	15.0	23	2988	150	180	14.0	26	5335
130	160	16.0	EQ	3022	150	180	14.0	26R1	5335
130	168	16.0	23	0956	150	180	14.0	59	5335

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size (Metric)

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
150	180	14.0	23	5335	170	200	15.0	57	7268
150	180	14.0	57	5335	170	200	16.0	26	3919
150	180	15.0	58	3327	170	200	16.0	59	3919
150	180	15.0	23	3327	170	200	16.0	EQ	3180
150	180	16.0	EQ	1349	170	203	14.0	23	5370
150	180	16.0	23	2341	170	210	16.0	26	3329
150	180	18.0	23	4862	175	200	12.0	23	1709
150	190	15.0	26	4395	175	200	12.7	23	3251
150	190	15.0	23	2233	175	200	15.0	23	4624
154	179	19.0	IG	4309	175	205	15.0	23	2457
155	174	12.0	26	3326	175	215	16.0	53	7495
155	180	13.0	23	1269	175	215	16.0	23	1388
155	180	15.0	26R1	3352	178	218	16.0	26	4227
155	180	15.0	59	3352	180	205	13.0	23	1616
160	184	14.0	23	1394	180	210	12.0	23	2828
160	185	10.0	92	0876	180	210	12.5	23	5336
160	190	8.0	26	3404	180	210	15.0	53	7807
160	190	12.7	23	4634	180	210	15.0	61	7807
160	190	13.0	23	7816	180	210	15.0	26R1	3920
160	190	13.0	57	7816	180	210	15.0	23	7807
160	190	14.0	53	7286	180	210	16.0	26	3920
160	190	15.0	53	7276	180	210	16.0	57	3920
160	190	15.0	26	7276	180	213	14.0	23	5371
160	190	15.0	26R1	7276	180	220	15.9	23	9994
160	190	15.0	23	7276	180	220	16.0	59	4039
160	190	15.0	57	7276	185	210	12.7	23	0801
160	190	16.0	26	3913	185	225	16.0	23	7006
160	190	16.0	EQ	3913	189	225	16.0	26R1	3923
160	190	16.0	23	3913	189	227	19.0	23	9792
160	195	18.0	26R1	1035	190	214	12.0	23	1290
160	200	12.0	23	1717	190	215	12.7	23	2581
160	200	14.0	59	4038	190	215	16.0	26	4997
160	200	16.0	21	4633	190	220	12.0	23	0504
162	200	13.0	53	3421	190	220	12.5	23	5333
162	200	16.0	53	3423	190	220	15.0	61	8049
162	200	16.0	26	3423	190	220	15.0	59	2043
162	200	19.0	53	3424	190	220	15.0	23	8049
162	200	19.0	23	3424	190	220	16.0	23	1379
165	190	13.0	58	0584	190	220	19.0	IG	4756
165	200	12.0	24	8171	190	225	16.0	26R1	1036
165	200	16.0	53	3432	190	225	16.0	23	3911
165	200	19.0	23	9217	190	225	16.0	57	3911
170	194	14.0	23	1395	190	230	16.0	23	1214
170	195	12.5	23	0637	190	235	16.0	26	3758
170	200	8.0	26	3451	195	230	15.0	59	2183
170	200	12.0	23	2826	195	230	15.0	23	7320
170	200	12.5	23	5356	196	220	12.0	23	0980
170	200	13.0	57	0783	200	224	12.7	23	4860
170	200	15.0	53	7268	200	225	15.0	23	1949
170	200	15.0	26R1	3919	200	230	13.0	53	4834
170	200	15.0	59	7268	200	230	14.0	26	3914
170	200	15.0	23	7268	200	230	14.0	26R1	3914

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size (Metric)

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
200	230	14.0	23	3914	220	260	16.0	23	8606
200	230	15.0	58	7388	220	260	19.0	23	0957
200	230	15.0	53	7388	220	260	20.0	23	1392
200	230	15.0	61	7388	220	260	22.0	26	3944
200	230	15.0	26R1	7388	220	260	22.0	26R1	3944
200	230	15.0	59	7388	225	250	12.5	23	8481
200	230	15.0	23	7388	225	265	16.0	23	2247
200	230	16.0	59	5317	230	255	12.7	23	5403
200	230	19.0	59	3301	230	260	15.0	26	3955
200	235	15.0	57	1727	230	260	15.0	59	3955
200	235	16.0	26	3908	230	260	15.0	23	5334
200	236	19.0	23	6926	230	260	15.0	87	5334
200	238	19.0	23	1014	230	268	19.0	23	5784
200	240	15.5	23	5372	230	269	22.0	26	3956
200	240	16.0	23	8420	230	269	22.0	26R1	3956
200	240	20.0	26	3916	230	270	14.0	53	7890
200	240	20.0	26R1	3916	230	270	14.0	59	4035
208	238	15.0	26	2147	230	270	16.0	59	4763
210	240	12.0	23	2833	230	270	16.0	23	4885
210	240	15.0	26	5338	230	276	17.5	23	5374
210	240	15.0	26R1	5338	230	280	16.0	59	0036
210	240	15.0	23	5338	230	280	16.0	23	4865
210	249	22.0	26	5231	235	275	0.0	61	1909
210	250	14.0	53	7887	240	270	15.0	53	5359
210	250	16.0	21	9521	240	270	15.0	26	5359
215	240	12.7	23	5402	240	270	15.0	26R1	5359
215	245	12.5	23	1953	240	270	15.0	59	5359
215	245	15.0	23	5358	240	270	15.0	23	5359
215	248	15.0	23	0961	240	270	16.0	59	0053
215	250	16.4	23	0746	240	275	16.0	26	3910
216	254	16.0	53	4602	240	275	16.0	57	3910
216	254	16.0	59	0012	240	275	18.0	23	1036
216	254	18.0	64	8453	240	280	13.0	23	1097
216	254	19.0	53	3937	240	280	15.0	26	2041
216	254	19.0	62	3937	240	280	16.0	53	7891
216	254	19.0	21	3937	240	280	16.0	23	7891
216	254	19.0	23	3937	240	280	19.0	26	3973
216	254	26.0	53F1	6760	240	280	19.0	26R1	3973
216	254	32.0	53F1	5681	240	280	19.0	23	3973
219	254	19.0	59	0014	240	280	20.0	23	9435
220	250	12.0	23	2829	240	286	17.5	23	5380
220	250	13.0	23	4757	240	290	16.0	23	3132
220	250	15.0	53	5357	240	290	19.0	26R1	3974
220	250	15.0	62	5357	240	300	25.0	59	0054
220	250	15.0	26R1	5357	240	320	25.0	26	0828
220	250	15.0	59	5357	242	272	15.0	26	2149
220	250	15.0	23	5357	245	283	20.6	23	2256
220	250	16.0	26	3942	245	305	25.0	26R1	1837
220	250	16.0	23	3942	250	280	12.7	23	9676
220	260	13.0	53	7840	250	280	15.0	53	5339
220	260	15.0	23	0891	250	280	15.0	62	5339
220	260	16.0	59	0019	250	280	15.0	26R1	5339

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size (Metric)

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
250	280	15.0	59	5339	280	320	20.0	59	3695
250	280	15.0	23	5339	280	320	20.0	23	7391
250	280	16.0	26	4345	280	320	20.0	88	7391
250	285	16.0	23	1099	280	330	15.5	23	0897
250	290	15.0	23	4497	280	340	21.0	64	4039
250	290	16.0	23	8607	280	340	25.0	59	0109
250	296	17.5	23	5375	284	330	15.8	23	0740
255	290	16.0	59	4767	285	315	20.0	23	1262
258	290	16.0	23	0695	285	329	20.0	23	5712
260	290	15.0	26	5351	289	327	19.0	53	4050
260	290	15.0	23	5351	289	327	19.0	59	0119
260	290	16.0	26	5111	289	327	19.0	23	4050
260	290	16.0	59	5111	290	330	16.0	59	4042
260	298	19.0	23	5665	290	330	18.0	23	0416
260	300	13.0	53	7892	290	330	20.0	26R1	3886
260	300	16.0	23	7010	290	330	20.0	23	1031
260	300	20.0	26	5429	290	350	25.0	59	3100
260	300	20.0	59	5429	292	327	18.0	59	0125
260	304	20.0	23	4805	300	330	15.0	23	5352
260	304	20.0	87	4805	300	330	16.0	23	0740
260	306	17.5	23	5381	300	332	16.0	59	4009
260	308	20.0	23	1292	300	335	18.0	23	5446
260	310	16.0	23	0872	300	338	19.0	23	9793
260	311	19.0	23	2314	300	340	16.0	53	7893
260	315	24.0	59	4891	300	340	18.0	59	0134
260	320	25.0	59	4999	300	340	20.0	23	4655
270	300	15.0	23	5350	300	340	20.6	23	0947
270	300	16.0	26	5445	300	344	20.0	59	4056
270	300	16.0	59	0094	300	344	20.0	23	4602
270	308	18.0	64	7769	300	344	20.5	23	8525
270	308	19.0	53	4018	300	344	21.0	88	8525
270	308	19.0	59	0095	300	345	22.0	26R1	1037
270	308	19.0	23	4018	300	350	19.0	23	4881
270	310	16.0	59	8655	300	350	26.0	59	0135
270	310	16.0	23	8655	310	335	12.7	23	5536
270	310	20.0	26R1	2965	310	340	15.0	23	5340
270	314	20.0	23	1027	310	350	20.0	59	0999
270	335	18.0	59	0099	310	354	20.0	23	2454
274	304	15.0	26	2148	310	354	20.0	87	2454
275	305	15.0	26	1040	315	360	20.0	23	1108
275	310	15.0	26	3722	320	350	16.0	59	0162
275	310	15.0	23	2350	320	355	16.0	59	0163
279	309	15.0	23	1246	320	358	19.0	23	5667
280	310	16.0	59	0982	320	360	18.0	23	1113
280	310	16.0	23	2582	320	360	19.0	23	1712
280	310	20.0	23	0890	320	360	20.0	26	4397
280	316	18.0	26	5233	320	360	20.0	59	4397
280	318	18.0	23	1962	320	360	20.0	23	1103
280	320	16.0	53	7848	320	362	20.7	23	1182
280	320	18.0	59	4028	320	364	20.0	26	3721
280	320	20.0	64	7391	320	364	20.0	23	2911
280	320	20.0	26	3695	324	362	16.0	59	0168

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size (Metric)

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
324	362	18.0	64	4089	355	395	20.0	59	5441
324	362	19.0	26	5942	355	420	15.0	88	1924
324	362	19.0	23	5942	356	381	18.0	26	8815
324	381	21.0	64	4092	356	394	19.0	23	9287
324	381	22.0	59	0170	360	390	18.0	26	0992
325	365	16.0	59	4058	360	390	18.0	59	0992
325	365	16.0	23	3209	360	390	18.0	23	2066
327	381	21.0	64	5404	360	396	16.0	23	0963
330	360	10.0	23	0590	360	400	16.0	53	7849
330	360	15.0	26	5341	360	400	18.0	26	4394
330	360	15.0	23	5341	360	400	18.0	59	4394
330	370	18.0	59	0174	360	400	20.0	59	1892
330	370	18.0	23	9996	360	400	20.0	23	9182
330	374	19.0	23	3170	360	404	20.0	87	1202
330	374	20.0	59	5525	360	425	22.0	59	0221
330	374	20.0	23	4630	365	403	19.0	23	3250
330	390	25.0	59	1000	368	419	20.6	87	2134
332	370	19.0	23	0994	370	395	12.7	23	5845
340	372	16.0	59	0188	370	410	20.0	26R1	8196
340	378	19.0	23	5664	370	411	16.0	23	9993
340	380	16.0	53	7896	370	414	20.0	59	3880
340	380	17.5	59	0189	370	420	20.0	23	1968
340	380	18.0	26	3882	375	415	16.0	23	6994
340	380	18.0	59	3882	375	420	20.0	59	4423
340	380	18.0	23	0893	380	420	15.9	23	2328
340	380	20.0	59	5170	380	420	20.0	59	0247
340	384	20.0	23	2245	380	420	20.0	23	0614
340	385	20.0	23	2286	380	424	20.0	59	4674
343	381	16.0	59	0190	380	424	20.0	23	4601
343	381	17.0	26	5456	380	440	25.0	26R1	5466
343	381	17.0	26R1	5456	380	440	25.0	59	5466
343	381	18.0	53	4121	381	426	29.0	26R1	5146
343	381	18.0	64	4121	385	425	20.0	23	8464
343	381	19.0	53	4122	387	417	15.0	59	5299
343	381	19.0	23	4122	390	420	14.0	23	1608
350	380	10.0	23	0591	390	428	19.0	23	9796
350	380	16.0	59	3212	390	430	18.0	59	5172
350	380	20.0	59	4755	390	430	19.0	23	5290
350	388	12.7	23	5477	390	430	20.0	26	4941
350	388	19.0	23	9316	390	434	20.0	59	5281
350	390	16.0	23	8656	390	434	20.0	23	1767
350	390	18.0	59	0204	390	440	20.0	59	3950
350	394	12.7	23	2109	390	440	25.0	59	4936
350	394	19.0	59	5107	390	450	17.0	64	4166
350	394	20.0	26	5102	390	450	25.0	59	2049
350	394	20.0	59	5102	394	420	12.7	23	2206
350	394	20.0	23	4603	395	439	19.0	26R1	0979
350	399	20.0	23	5874	395	439	23.0	26	3867
350	400	17.0	59	3490	397	435	19.0	59	0265
350	400	25.0	59	3091	397	435	19.0	23	6455
350	410	20.0	59	1902	400	438	19.0	23	5666
350	410	25.0	59	5477	400	440	16.0	59	5064

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size (Metric)

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
400	440	20.0	26	4396	460	504	20.0	23	0518
400	440	20.0	59	4396	460	510	20.0	23	1237
400	444	17.0	23	8702	460	510	22.0	26	4486
400	444	20.0	59	1332	460	510	22.0	59	4486
400	444	20.0	23	4629	470	508	18.0	64	3768
400	444	20.0	87	4629	470	508	19.0	59	0338
400	450	18.0	64	4169	470	508	19.0	23	9881
400	450	18.0	59	0268	470	520	18.8	23	8695
400	450	18.0	23	2389	470	530	25.0	59	4255
400	450	19.0	59	2726	480	520	20.0	64	7281
400	450	20.0	23	2069	480	520	20.0	26	7281
400	450	20.6	23	2275	480	530	20.0	59	1247
400	460	25.0	26R1	5467	480	530	20.0	23	8299
410	450	20.0	59	4512	480	530	20.6	23	0639
410	460	22.0	26	4015	490	530	20.0	59	3133
414	464	20.6	23	1280	490	540	20.0	23	1298
415	465	20.0	59	4002	490	540	22.0	26	4856
416	454	18.0	64	4179	500	530	15.0	26	2504
416	454	19.0	59	0286	500	540	20.0	59	4047
416	454	19.0	23	5178	500	545	20.0	23	2484
420	458	19.0	23	5725	500	550	20.0	87	1383
420	460	20.0	64	8504	500	550	22.0	59	1246
420	460	20.0	59	0295	508	562	26.0	53	4238
420	460	20.0	23	8504	508	562	26.0	59	0364
420	470	18.0	64	8792	515	555	20.0	26	5493
420	470	18.8	23	8705	520	558	19.0	23	5654
420	470	19.0	23	4521	520	564	20.0	59	4764
420	470	22.0	64	1929	520	564	22.0	59	4525
420	470	22.0	26	1331	524	580	21.0	64	4244
420	470	22.0	59	1331	530	570	20.0	59	5438
420	480	25.0	26R1	5468	530	570	20.0	87	2388
420	480	28.0	26R1	1038	530	575	20.6	23	5761
425	475	20.0	23	9529	530	580	20.0	59	0375
430	470	20.0	59	4252	530	580	20.0	23	1911
430	470	20.0	23	4510	530	580	21.0	64	4244
430	480	20.0	23	5029	530	580	22.0	26	3667
430	480	22.0	59	3740	530	580	22.0	59	3667
430	480	25.0	59	4253	530	590	25.0	59	3535
430	490	20.0	64	9695	532	572	20.0	59	5440
435	485	20.0	87	1387	535	575	20.0	59	5452
440	480	20.0	26	4393	540	590	20.6	23	9639
440	480	20.0	59	4393	540	590	22.0	59	4598
440	480	20.0	23	4393	540	590	25.0	64	7393
440	490	22.0	59	4673	550	600	22.0	59	2724
446	486	16.0	88	4704	550	600	23.5	26	5492
450	480	12.7	23	0510	550	610	25.0	59	4514
450	490	20.0	59	3943	551	589	19.0	23	5428
450	493	20.0	23	9925	554	594	20.0	23	0429
450	500	20.6	21	3111	556	606	20.6	23	0606
450	500	20.6	23	1179	560	604	18.0	87	1382
450	510	25.0	59	5464	560	604	20.0	59	4066
460	500	20.0	59	4508	560	610	20.0	64	7266

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size (Metric)

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
560	610	20.0	26	3461	750	800	23.0	23	3169
560	610	20.0	59	3461	750	814	19.0	23	2079
560	610	22.0	64	2394	760	800	20.0	59	4917
560	610	22.0	26	4019	760	810	25.0	59	3132
560	610	22.0	59	4019	760	813	22.0	59	3837
560	620	25.0	59	4243	770	845	27.0	59	4875
570	610	20.0	59	3769	770	845	28.0	59	4578
570	616	19.0	64	4276	780	820	18.0	23	1959
570	616	19.0	59	0408	780	844	25.0	59	1933
570	620	22.0	59	4245	800	864	25.0	59	5560
570	620	25.0	59	4241	810	874	25.0	59	4671
574	604	15.0	26	2501	850	895	20.0	23	6894
576	614	19.0	23	5532	851	889	23.0	64	9504
578	635	23.0	64	6843	851	925	23.0	64	4552
578	635	23.0	59	0417	860	900	20.0	59	1043
580	640	25.0	59	4256	900	950	20.0	23	4872
590	630	20.0	59	3134	900	980	23.0	64	9079
590	640	20.0	23	2674	920	958	19.0	64	7770
600	640	20.0	64	8624	950	1014	25.0	59	4824
600	640	20.0	59	5280	960	1020	22.0	59	2991
600	650	22.0	59	4519	960	1040	23.0	59	0565
600	650	25.0	59	5559	970	1034	22.0	59	4455
600	660	25.0	59	4518	970	1040	25.0	59	4240
610	654	20.0	23	1112	990	1040	22.0	59	4100
610	660	20.6	23	7119	990	1040	25.0	59	4240
620	670	20.6	23	0864	1000	1050	22.0	64	1073
620	670	22.0	26	3678	1000	1050	22.0	59	3080
620	670	22.0	59	3678	1000	1050	23.0	59	2873
624	654	15.0	26	2505	1020	1050	19.0	23	4386
630	670	19.0	64	1451	1060	1100	20.0	59	4137
640	690	20.5	23	1719	1080	1144	25.0	59	3949
650	690	20.0	59	1044	1105	1160	25.0	64	0586
650	705	20.0	59	4244	1162	1207	20.0	23	6889
650	710	25.0	59	4517	1250	1314	25.0	59	4599
665	729	22.0	59	3163	1350	1414	22.0	64	7065
670	708	19.0	23	2248	1380	1430	25.0	23	9919
670	710	20.0	59	3945	1380	1440	25.0	64	8594
670	716	19.0	59	0464	1425	1482	19.0	23	9917
670	716	23.0	64	4307	1550	1610	25.0	64	8622
670	734	25.0	59	4672	1620	1665	20.0	59	3961
685	710	12.7	23	1169	1636	1700	22.0	64	4979
690	730	20.0	59	3489	1820	1870	20.6	23	4816
700	738	19.0	23	4481	1890	1954	25.0	64	9010
710	773	22.0	59	4239	2100	2150	20.6	23	8802
720	770	25.0	23	0786					
730	790	25.0	59	4516					
730	794	25.0	59	2543					
730	794	25.5	59	4487					
735	775	20.0	59	5442					
740	780	17.0	59	0497					
740	790	25.0	59	5609					
750	800	20.0	23	3165					

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.