



BRT2 TYPE, BRT3 TYPE (Material: RAREFLON (PTFE)) **BACKUP RING**

BRN2 TYPE, BRN3 TYPE (Material: POLYAMIDE RESIN (PA))



Biascut




Endless

Type of cut			Biascut			Endless		
NOK type			BRT2	BRT2	BRN2	BRT3	BRT3	BRN3
NOK material sign			19YF	31BF	80NP	19YF	31BF	80NP
Nominal Size of Backup Ring			NOK	NOK	NOK	NOK	NOK	NOK
d	D	t	Part Number	Part Number	Part Number	Part Number	Part Number	Part Number
8	18	2	GN4773V0	GN4773F0	GN9101O0	GN0725V0	GN0725F0	GN9101O1
10	20		GN4774V0	GN4774F0	GN9102O0	GN0733V0	GN0733F0	GN9102O1
14	24		GN4775V0	GN4775F0	GN9103O0	GN0745V0	GN0745F0	GN9103O1
15	28		GN4776V0	GN4776F0	GN9104O0	GN6445V0	GN6445F0	GN9104O1
16	26		GN4777V0	GN4777F0	GN9105O0	GN0751V0	GN0751F0	GN9105O1
18			GN4778V0	GN4778F0	GN9106O0	GN6377V0	GN6377F0	GN9106O1
20	31		GN4779V0	GN4779F0	GN9107O0	GN6446V0	GN6446F0	GN9107O1
	28		GN4780V0	GN4780F0	GN9108O0	GN6447V0	GN6447F0	GN9108O1
	30		GN4781V0	GN4781F0	GN9109O0	GN0762V0	GN0762F0	GN9109O1
22	33		GN4782V0	GN4782F0	GN9110O0	GN6448V0	GN6448F0	GN9110O1
	35		GN4783V0	GN4783F0	GN9111O0	GN6449V0	GN6449F0	GN9111O1
22.4	30		GN4784V0	GN4784F0	GN9112O0	GN6450V0	GN6450F0	GN9112O1
23.5	33		GN4785V0	GN4785F0	GN9113O0	GN6451V0	GN6451F0	GN9113O1
	31.5		GN4786V0	GN4786F0	GN9114O0	GN6452V0	GN6452F0	GN9114O1
25	35		GN4787V0	GN4787F0	GN9115O0	GN0781V0	GN0781F0	GN9115O1
	38		GN4788V0	GN4788F0	GN9116O0	GN6453V0	GN6453F0	GN9116O1
25.5	35.5	GN4789V0	GN4789F0	GN9117O0	GN6454V0	GN6454F0	GN9117O1	
27	40	3	GN4790V0	GN4790F0	GN9118O0	GN6455V0	GN6455F0	GN9118O1
28	35.5		GN4791V0	GN4791F0	GN9119O0	GN6456V0	GN6456F0	GN9119O1
	40		GN4792V0	GN4792F0	GN9120O0	GN6457V0	GN6457F0	GN9120O1
	41		GN4793V0	GN4793F0	GN9121O0	GN6458V0	GN6458F0	GN9121O1
30	40		GN4794V0	GN4794F0	GN9122O0	GN6361V0	GN6361F0	GN9122O1
	43		GN4795V0	GN4795F0	GN9123O0	GN6459V0	GN6459F0	GN9123O1
31.5	41.5		GN4796V0	GN4796F0	GN9124O0	GN6460V0	GN6460F0	GN9124O1
	44.5		GN4797V0	GN4797F0	GN9125O0	GN6461V0	GN6461F0	GN9125O1
34	50		GN4798V0	GN4798F0	GN9126O0	GN6462V0	GN6462F0	GN9126O1
35	45		GN4799V0	GN4799F0	GN9127O0	GN6463V0	GN6463F0	GN9127O1
	50	GN4800V0	GN4800F0	GN9128O0	GN0816V0	GN0816F0	GN9128O1	
35.5	45	GN4801V0	GN4801F0	GN9129O0	GN6464V0	GN6464F0	GN9129O1	
	51.5	GN4802V0	GN4802F0	GN9130O0	GN6330V0	GN6330F0	GN9130O1	
40	50	GN4050V0	GN4050F0	GN9131O0	GN6465V0	GN6465F0	GN9131O1	
	56	GN4803V0	GN4803F0	GN9132O0	GN6466V0	GN6466F0	GN9132O1	
45	55	GN4804V0	GN4804F0	GN9133O0	GN6467V0	GN6467F0	GN9133O1	
	56	GN4805V0	GN4805F0	GN9134O0	GN6468V0	GN6468F0	GN9134O1	
47	61	GN4806V0	GN4806F0	GN9135O0	GN6469V0	GN6469F0	GN9135O1	
	63	GN4807V0	GN4807F0	GN9136O0	GN6470V0	GN6470F0	GN9136O1	
		GN4808V0	GN4808F0	GN9137O0	GN6471V0	GN6471F0	GN9137O1	
50	60	GN4335V0	GN4335F0	GN9138O0	GN6302V0	GN6302F0	GN9138O1	
	66	GN4809V0	GN4809F0	GN9139O0	GN6329V0	GN6329F0	GN9139O1	
53	63	GN4693V0	GN4693F0	GN9140O0	GN6413V0	GN6413F0	GN9140O1	


Remark) The size of the polyamide resin (NOK material code: 80NP) may change due to moisture adsorption.
If the moisture-proof packaging is necessary, consult NOK separately.

BRT2 TYPE, BRT3 TYPE (Material: RAREFLON(PTFE)) **BACKUP RING**

BRN2 TYPE, BRN3 TYPE (Material: POLYAMIDE RESIN(PA))



Biascut




Endless


Type of cut			Biascut			Endless		
NOK type			BRT2	BRT2	BRN2	BRT3	BRT3	BRN3
NOK material sign			19YF	31BF	80NP	19YF	31BF	80NP
Nominal Size of Backup Ring			NOK	NOK	NOK	NOK	NOK	NOK
d	D	t	Part Number	Part Number	Part Number	Part Number	Part Number	Part Number
55	65	3	GN4810V0	GN4810F0	GN9141O0	GN6472V0	GN6472F0	GN9141O1
	71		GN4811V0	GN4811F0	GN9142O0	GN6473V0	GN6473F0	GN9142O1
56	66		GN4766V0	GN4766F0	GN9143O0	GN6474V0	GN6474F0	GN9143O1
	60		70	GN4676V0	GN4676F0	GN9144O0	GN6444V0	GN6444F0
71			GN4812V0	GN4812F0	GN9145O0	GN6475V0	GN6475F0	GN9145O1
76			GN4813V0	GN4813F0	GN9146O0	GN6476V0	GN6476F0	GN9146O1
63	73		GN4814V0	GN4814F0	GN9147O0	GN6477V0	GN6477F0	GN9147O1
64	80		GN4815V0	GN4815F0	GN9148O0	GN6478V0	GN6478F0	GN9148O1
65	75		GN4816V0	GN4816F0	GN9149O0	GN6479V0	GN6479F0	GN9149O1
67	77		GN4697V0	GN4697F0	GN9150O0	GN6480V0	GN6480F0	GN9150O1
70	80		GN4651V0	GN4651F0	GN9092O0	GN6362V1	GN6362F0	GN9092O1
	90		GN4817V0	GN4817F0	GN9151O0	GN0910V0	GN0910F0	GN9151O1
71	80		GN4818V0	GN4818F0	GN9152O0	GN6481V0	GN6481F0	GN9152O1
	81		GN4819V0	GN4819F0	GN9153O0	GN6482V0	GN6482F0	GN9153O1
75	95		GN4524V0	GN4524F0	GN9154O0	GN0920V0	GN0920F0	GN9154O1
80	90		GN4820V0	GN4820F0	GN9155O0	GN6483V0	GN6483F0	GN9155O1
	85		100	GN4095V1	GN4095F0	GN9156O0	GN0927V0	GN0927F0
105			GN4687V0	GN4687F0	GN9091O0	GN6484V0	GN6484F0	GN9091O1
		GN4821V0	GN4821F0	GN9157O0	GN0932V0	GN0932F0	GN9157O1	
90	105	GN4698V0	GN4698F0	GN9158O0	GN6485V0	GN6485F0	GN9158O1	
	95	110	GN4109V0	GN4109F0	GN9159O0	GN0939V0	GN0939F0	GN9159O1
GN4822V0		GN4822F0	GN9160O0	GN6486V0	GN6486F0	GN9160O1		
98	112	GN4823V0	GN4823F0	GN9161O0	GN0945V0	GN0945F0	GN9161O1	
	100	115	GN4824V0	GN4824F0	GN9162O0	GN6487V0	GN6487F0	GN9162O1
120		GN4512V0	GN4512F0	GN9163O0	GN6488V0	GN6488F0	GN9163O1	
105	125	GN4119V0	GN4119F0	GN9164O0	GN0952V0	GN0952F0	GN9164O1	
	106	120	GN4825V0	GN4825F0	GN9165O0	GN0959V0	GN0959F0	GN9165O1
112		120	GN4826V0	GN4826F0	GN9166O0	GN6489V0	GN6489F0	GN9166O1
	125	GN4827V0	GN4827F0	GN9167O0	GN6490V0	GN6490F0	GN9167O1	
120	132	GN4828V0	GN4828F0	GN9168O0	GN0970V0	GN0970F0	GN9168O1	
	125	140	GN4132V0	GN4132F0	GN9169O0	GN0982V0	GN0982F0	GN9169O1
GN4481V0		GN4481F0	GN9170O0	GN6491V0	GN6491F0	GN9170O1		
135	150	GN4401V0	GN4401F0	GN9171O0	GN6135V0	GN6135F0	GN9171O1	
	160	GN4829V0	GN4829F0	GN9172O0	GN6492V0	GN6492F0	GN9172O1	
136	150	GN4830V0	GN4830F0	GN9173O0	GN6493V0	GN6493F0	GN9173O1	
140	165	GN4831V0	GN4831F0	GN9174O0	GN6494V0	GN6494F0	GN9174O1	
145	160	GN4551V0	GN4551F0	GN9175O0	GN6495V0	GN6495F0	GN9175O1	
	170	GN4832V0	GN4832F0	GN9176O0	GN6496V0	GN6496F0	GN9176O1	
150	165	GN4833V0	GN4833F0	GN9177O0	GN6497V0	GN6497F0	GN9177O1	
	170	GN4834V0	GN4834F0	GN9178O0	GN6498V0	GN6498F0	GN9178O1	

Remark) The size of the polyamide resin (NOK material code: 80NP) may change due to moisture adsorption.
If the moisture-proof packaging is necessary, consult NOK separately.

BRT2 TYPE, BRT3 TYPE BRN2 TYPE, BRN3 TYPE



Biascut



Endless

Type of cut			Biascut			Endless		
NOK type			BRT2	BRT2	BRN2	BRT3	BRT3	BRN3
NOK material sign			19YF	31BF	80NP	19YF	31BF	80NP
Nominal Size of Backup Ring			NOK	NOK	NOK	NOK	NOK	NOK
d	D	t	Part Number	Part Number	Part Number	Part Number	Part Number	Part Number
155	180	4	GN4157V0	GN4157F0	GN9179O0	GN1016V0	GN1016F0	GN9179O1
160	175		GN4835V0	GN4835F0	GN9180O0	GN6499V0	GN6499F0	GN9180O1
	185		GN4540V0	GN4540F0	GN9181O0	GN1020V0	GN1020F0	GN9181O1
165	180		GN4836V0	GN4836F0	GN9182O0	GN6500V0	GN6500F0	GN9182O1
170			GN4837V0	GN4837F0	GN9183O0	GN6501V0	GN6501F0	GN9183O1
	200		GN4838V0	GN4838F0	GN9184O0	GN6502V0	GN6502F0	GN9184O1
175	190		GN4839V0	GN4839F0	GN9185O0	GN6503V0	GN6503F0	GN9185O1
			200	GN4460V0	GN4460F0	GN9186O0	GN1031V0	GN1031F0
180	200		GN4470V0	GN4470F0	GN9187O0	GN6372V0	GN6372F0	GN9187O1
			205	GN4427V0	GN4427F0	GN9188O0	GN1035V0	GN1035F0
190	200		GN4840V0	GN4840F0	GN9189O0	GN6504V0	GN6504F0	GN9189O1
	210		GN4841V0	GN4841F0	GN9190O0	GN6505V0	GN6505F0	GN9190O1
200	220		GN4385V0	GN4385F0	GN9191O0	GN6276V0	GN6276F0	GN9191O1
	225		GN4560V0	GN4560F0	GN9192O0	GN1050V0	GN1050F0	GN9192O1
204	224		GN4842V0	GN4842F0	GN9193O0	GN6506V0	GN6506F0	GN9193O1
205	220		GN4843V0	GN4843F0	GN9194O0	GN6507V0	GN6507F0	GN9194O1
210	230		GN4627V0	GN4627F0	GN9195O0	GN6352V0	GN6352F0	GN9195O1
220	240		GN4444V0	GN4444F0	GN9196O0	GN6508V0	GN6508F0	GN9196O1
225	245		GN4844V0	GN4844F0	GN9197O0	GN6509V0	GN6509F0	GN9197O1
	250		GN4416V0	GN4416F0	GN9045O0	GN1065V0	GN1065F0	GN9045O1
230			GN4635V0	GN4635F0	GN9047O0	GN6510V0	GN6510F0	GN9047O1
240	260		GN4845V0	GN4845F0	GN9198O0	GN6511V0	GN6511F0	GN9198O1
250	270		GN4459V0	GN4459F0	GN9199O0	GN6512V0	GN6512F0	GN9199O1
	275		GN4191V0	GN4191F0	GN9200O0	GN1078V0	GN1078F0	GN9200O1
255	280		GN4846V0	GN4846F0	GN9201O0	GN6513V0	GN6513F0	GN9201O1
260	285		GN4847V0	GN4847F0	GN9202O0	GN6514V0	GN6514F0	GN9202O1
265	290		GN4848V0	GN4848F0	GN9203O0	GN6318V0	GN6318F0	GN9203O1
	297		GN4849V0	GN4849F0	GN9204O0	GN6515V0	GN6515F0	GN9204O1
270	295		GN4850V0	GN4850F0	GN9205O0	GN6516V0	GN6516F0	GN9205O1
	300		GN4851V0	GN4851F0	GN9206O0	GN1089V0	GN1089F0	GN9206O1
275			GN4852V0	GN4852F0	GN9207O0	GN6517V0	GN6517F0	GN9207O1
280	305		GN4410V0	GN4410F0	GN9208O0	GN6518V0	GN6518F0	GN9208O1
	312	GN4853V0	GN4853F0	GN9209O0	GN6519V0	GN6519F0	GN9209O1	
290	315	GN4854V0	GN4854F0	GN9210O0	GN6520V0	GN6520F0	GN9210O1	
300	325	GN4855V0	GN4855F0	GN9211O0	GN6521V0	GN6521F0	GN9211O1	
	332	GN4856V0	GN4856F0	GN9212O0	GN6522V0	GN6522F0	GN9212O1	

DIMENSION
BACKUP RING

Remark) The size of the polyamide resin (NOK material code: 80NP) may change due to moisture adsorption.
If the moisture-proof packaging is necessary, consult NOK separately.